



US00D399675S

United States Patent [19]

[11] Patent Number: **Des. 399,675**

Ferris

[45] Date of Patent: ****Oct. 20, 1998**

[54] **PILLOW**

[76] Inventor: **Robyn Wendy Ferris**, 2 Tumut Court, Keilor, Victoria, 3036, Australia

[**] Term: **14 Years**

[21] Appl. No.: **79,576**

[22] Filed: **Nov. 14, 1997**

[51] **LOC (6) Cl.** **06-09**

[52] **U.S. Cl.** **D6/601**

[58] **Field of Search** D6/595-597, 601-604; 5/630, 633, 636-638, 644, 646, 648, 652, 652.1, 653-655, 655.3, 656

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 293,286	12/1987	Alfer	D6/596
D. 303,897	10/1989	Phillips	D6/601
D. 376,503	12/1996	Petersson	D6/601
1,386,652	8/1921	Patton .	
2,167,622	8/1939	Bentivoglio .	
2,728,926	1/1956	Emery	5/338
3,239,854	3/1966	Freedlander	5/337
3,757,365	9/1973	Kretchmer	5/338
4,118,813	10/1978	Armstrong	5/337
4,197,604	4/1980	Nakamura	5/437
4,320,543	3/1982	Dixon	5/434
4,375,112	3/1983	Leonhart	5/436
4,536,905	8/1985	DeSantis	5/434
4,726,087	2/1988	Schaefer et al.	5/434
4,731,891	3/1988	Scheurer et al.	5/434
4,752,064	6/1988	Voss	269/328
4,759,089	7/1988	Fox	5/434
4,780,920	11/1988	White	5/436
4,788,728	12/1988	Lake	5/434
4,850,067	7/1989	Latorre	5/431
4,908,893	3/1990	Smit	5/434

4,908,894	3/1990	Sanders	5/436
4,924,540	5/1990	Main	5/436
4,996,734	3/1991	Rowe	5/434
5,027,457	7/1991	Sweet	5/437
5,054,143	10/1991	Javaher	5/434
5,084,926	2/1992	Wattie et al.	5/636
5,123,132	6/1992	Dixon	5/636
5,127,117	7/1992	Bridges	5/636
5,138,732	8/1992	Wattie et al.	5/636
5,163,194	11/1992	Dixon	5/636
5,237,714	8/1993	Baron	5/636

FOREIGN PATENT DOCUMENTS

73909	1/1978	Australia .	
73961	2/1978	Australia .	
34783/78	4/1978	Australia .	
A-43078/85	12/1985	Australia .	
S-108374	7/1990	Australia	6/9
0 384 583 A1	8/1990	European Pat. Off.	A61G 7/057
WO 95/28861	11/1995	European Pat. Off.	A47G 9/00
2 198 341	6/1988	United Kingdom	A47G 9/00

Primary Examiner—Janice E. Seeger
Attorney, Agent, or Firm—Caesar, Rivise, Bernstein, Cohen & Pokotilow, Ltd.


[57] **CLAIM**

The ornamental design for a pillow, as shown and described.

DESCRIPTION

FIG. 1 is an perspective view of a pillow showing my new design;
FIG. 2 is a underneath view of the pillow shown in FIG. 1;
FIG. 3 is a side view of the pillow shown in FIG. 1 the opposite side being a mirror image thereof;
FIG. 4 is a front view of the pillow of FIG. 1; and,
FIG. 5 is a rear view of the pillow of FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.