



US00D399765S

United States Patent [19]
Hovious

[11] **Patent Number: Des. 399,765**

[45] **Date of Patent: **Oct. 20, 1998**

[54] **TERMITE DETECTION STATION**

[76] Inventor: **Kirk N. Hovious**, 569 Papalani St.,
Kailua, Hi. 96734

[**] Term: **14 Years**

[21] Appl. No.: **80,738**

[22] Filed: **Dec. 15, 1997**

[51] **LOC (6) Cl.** **10-04**

[52] **U.S. Cl.** **D10/46**

[58] **Field of Search** D10/46, 81; D30/199;
43/129, 132.1; 23/587, 661, 649, 651

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,790,191	12/1988	Shultz, Jr.	73/661
5,433,102	7/1995	Pedziwiatr	73/661 X
5,531,119	7/1996	Meyers	73/661

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Parsons & Goltry; Michael W. Goltry; Robert A. Parsons


[57] **CLAIM**

The ornamental design for an termite detection station, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a termite detection station, showing our new design therefor;
FIG. 2 is a front elevational view, the opposite side being a mirror image;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a right side elevational view thereof, the opposite side being a mirror image.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5