



US00D399796S

United States Patent [19]

Cho et al.

[11] Patent Number: **Des. 399,796**

[45] Date of Patent: ****Oct. 20, 1998**

[54] PNEUMATIC TIRE FOR VEHICLES

[75] Inventors: **Myung-Kook Cho**, Kwangju, Rep. of Korea; **Mark D. Slingluff**, Akron, Ohio

[73] Assignee: **Kumho Tire Co., Ltd.**, Seoul, Rep. of Korea

[**] Term: **14 Years**

[21] Appl. No.: **71,794**

[22] Filed: **Jun. 9, 1997**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/143**

[58] **Field of Search** D12/134, 136,
D12/138, 140-151; 152/209 R, 209 A,
209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 247,109	1/1978	Jamain	D12/148
D. 248,227	6/1978	Jamain	D12/146
D. 275,746	10/1984	Motomura et al.	D12/141
D. 292,078	9/1987	Takeguchi	D12/141
D. 301,022	5/1989	Kemp	D12/141

OTHER PUBLICATIONS

Tribune Steel Radial Ultra IV Touring Tire, 1996 Tread Design Guide, p. 73, Feb. 1996.

Hankook Dynamic HT RH01 Tire, 1996 Tread Design Guide, p. 98, Feb. 1996.

Hallmark Steelmark AHF Tire, 1996 Tread Design Guide, p. 141, Feb. 1996.

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—Lowe Hauptman Gopstein Gilman & Berner

[57] CLAIM

The ornamental design for a pneumatic tire for vehicles, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view showing our new design, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire;

FIG. 2 is a left side elevational view thereof, the side opposite being a mirror image;

FIG. 3 is an enlarged fragmentary view of the design shown in FIG. 1; and,

FIG. 4 is a perspective view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 3




FIG. 2




FIG. 4

