



US00D399796S

**United States Patent** [19]  
**Cho et al.**

[11] **Patent Number: Des. 399,796**

[45] **Date of Patent: \*\*Oct. 20, 1998**

[54] **PNEUMATIC TIRE FOR VEHICLES**

[75] Inventors: **Myung-Kook Cho**, Kwangju, Rep. of Korea; **Mark D. Slingluff**, Akron, Ohio

[73] Assignee: **Kumho Tire Co., Ltd.**, Seoul, Rep. of Korea

[\*\*] Term: **14 Years**

[21] Appl. No.: **71,794**

[22] Filed: **Jun. 9, 1997**

[51] **LOC (6) Cl.** ..... **12-15**

[52] **U.S. Cl.** ..... **D12/143**

[58] **Field of Search** ..... D12/134, 136,  
D12/138, 140-151; 152/209 R, 209 A,  
209 D

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 247,109	1/1978	Jamain	.....	D12/148
D. 248,227	6/1978	Jamain	.....	D12/146
D. 275,746	10/1984	Motomura et al.	.....	D12/141
D. 292,078	9/1987	Takeguchi	.....	D12/141
D. 301,022	5/1989	Kemp	.....	D12/141

**OTHER PUBLICATIONS**

Tribune Steel Radial Ultra IV Touring Tire, 1996 Tread Design Guide, p. 73, Feb. 1996.

Hankook Dynamic HT RH01 Tire, 1996 Tread Design Guide, p. 98, Feb. 1996.

Hallmark Steelmark AHF Tire, 1996 Tread Design Guide, p. 141, Feb. 1996.

*Primary Examiner*—Robert M. Spear

*Attorney, Agent, or Firm*—Lowe Hauptman Gopstein Gilman & Berner

[57] **CLAIM**

The ornamental design for a pneumatic tire for vehicles, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view showing our new design, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire;

FIG. 2 is a left side elevational view thereof, the side opposite being a mirror image;

FIG. 3 is an enlarged fragmentary view of the design shown in FIG. 1; and,

FIG. 4 is a perspective view thereof.

**1 Claim, 3 Drawing Sheets**




FIG. 1






FIG. 3



*FIG. 2*



*FIG. 4*

