



US00D399797S

United States Patent [19]

Bergstrom et al.

[11] Patent Number: Des. 399,797

[45] Date of Patent: **Oct. 20, 1998

[54] TIRE TREAD

[75] Inventors: **Kurt Jon Bergstrom**, Green; **David Earl Walker**, Massillon; **Perry Watrous Bell**, North Lawrence; **Efimia Ellen Rohweder**, Uniontown, all of Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 74,462

[22] Filed: Jul. 31, 1997

[51] LOC (6) Cl. 12-15

[52] U.S. Cl. D12/146

[58] Field of Search D12/134, 136, D12/138, 140-151; 152/209 R, 209 A, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 244,440 5/1977 Hayakawa et al. D12/143
D. 265,303 7/1982 Yokoyama D12/147
D. 266,920 11/1982 Candiliotis D12/147
D. 272,815 2/1984 Hatakenaka D12/146
D. 280,981 10/1985 Ohta et al. D12/142
D. 287,706 1/1987 Takeuchi D12/146
D. 288,307 2/1987 Ono D12/146
D. 288,548 3/1987 Kojima et al. D12/147
D. 289,026 3/1987 Wohlfahrt D12/146
D. 294,135 2/1988 Wallet D12/147
D. 294,237 2/1988 Graas et al. D12/143
D. 295,157 4/1988 Sedjack D12/145
D. 298,115 10/1988 Kuroda D12/146
D. 299,329 1/1989 Wallet et al. D12/146
D. 299,711 2/1989 Wallet D12/147
D. 301,024 5/1989 Himuro et al. D12/147
D. 301,445 6/1989 Terada D12/147
D. 302,669 8/1989 Graas D12/143
D. 304,166 10/1989 Graas D12/143
D. 304,918 12/1989 Hinrichsen D12/146
D. 306,844 3/1990 Wallet D12/146
D. 309,441 7/1990 Sakuno D12/147
D. 311,889 11/1990 Guermandi et al. D12/146

- D. 312,230 11/1990 Wallet et al. D12/147
D. 312,231 11/1990 Guspodin D12/147
D. 312,232 11/1990 Wallet et al. D12/147
D. 316,692 5/1991 Fukumoto D12/146
D. 321,832 11/1991 Guspodin D12/147
D. 326,074 5/1992 Himuro et al. D12/147
D. 328,271 7/1992 Guspodin et al. D12/147
D. 334,372 3/1993 Grenie D12/147
D. 335,841 5/1993 Caretta et al. D12/146
D. 338,179 8/1993 Miller et al. D12/147
D. 340,013 10/1993 Downey et al. D12/147
D. 340,686 10/1993 Baker D12/147
D. 345,535 3/1994 Shinohara et al. D12/147
D. 345,951 4/1994 Guspodin et al. D12/147

(List continued on next page.)

OTHER PUBLICATIONS

Cascade Winter Radial Tire, 1995 Tread Design Guide, p. 14, Jan. 1995.

Firestone FW900 Tire, 1995 Tread Design Guide, p. 27, Jan. 1995.

Reynolds Turbo-Plus Radial GT Tire, 1995 Tread Design Guide, p. 59, Jan. 1995.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—T. P. Lewandowski

[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front perspective view thereof.

In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

D. 345,952	4/1994	Christenbury	D12/147	4,416,317	11/1983	Caretta	152/209
D. 347,812	6/1994	Simpson	D12/146	4,619,300	10/1986	Tokunaga et al.	152/209
D. 348,241	6/1994	Graas et al.	D12/147	4,649,975	3/1987	Kogure et al.	152/209
D. 348,864	7/1994	Hashimura	D12/147	4,676,290	6/1987	Tansei et al.	152/209
D. 350,094	8/1994	Anderson et al.	D12/147	4,723,584	2/1988	Yamaguchi et al.	152/209
D. 350,099	8/1994	Manestar	D12/147	4,794,965	1/1989	Lagnier	152/209
D. 350,507	9/1994	Helluin	D12/141	4,945,963	8/1990	Fujiwara	152/209
D. 350,509	9/1994	Killian	D12/146	5,012,847	5/1991	Fukumoto et al.	152/209
D. 350,513	9/1994	Mehta et al.	D12/147	5,048,583	9/1991	Goto et al.	152/209
D. 350,925	9/1994	Manestar	D12/147	5,078,190	1/1992	Wissbrook et al.	152/209
D. 350,926	9/1994	Hutz	D12/147	5,095,963	3/1992	Maitre	152/209 R
D. 351,126	10/1994	Manestar	D12/146	5,109,903	5/1992	Watanabe et al.	152/209
D. 354,026	1/1995	McKisson	D12/146	5,147,478	9/1992	Nock et al.	152/209
D. 354,036	1/1995	McKisson	D12/148	5,178,698	1/1993	Shibata	152/209
D. 354,725	1/1995	McKisson	D12/146	5,200,008	4/1993	Enterline et al.	15/110
D. 356,059	3/1995	McKisson	D12/146	5,269,357	12/1993	Killian	152/209
D. 362,213	9/1995	McKisson	D12/146	5,287,905	2/1994	Caretta et al.	152/209
D. 362,219	9/1995	McKisson	D12/147	5,308,416	5/1994	Baumhöfer et al.	152/209
D. 364,594	11/1995	Krupa et al.	D12/147	5,361,815	11/1994	Loser et al.	152/209 R
D. 365,052	12/1995	Leah et al.	D12/146	5,385,189	1/1995	Aoki et al.	152/209 R
D. 365,065	12/1995	Galante et al.	D12/147	5,388,625	2/1995	White	152/209
D. 365,795	1/1996	Scarpitti et al.	D12/147	5,421,387	6/1995	Emerson	152/209

U.S. Patent

Oct. 20, 1998

Sheet 1 of 4

Des. 399,797




FIG-1

U.S. Patent

Oct. 20, 1998

Sheet 2 of 4

Des. 399,797




FIG-2




FIG-3




FIG-4