



US00D399872S

United States Patent [19]
Darcy et al.

[11] Patent Number: Des. 399,872
[45] Date of Patent: **Oct. 20, 1998

[54] PAPER SET FEEDER

[75] Inventors: James A. Darcy, Windham, N.H.;
Gilbert G. Fryklund, Winchester;
William E. Sydlowski, Wakefield, both
of Mass.

[73] Assignee: Standard Duplicating Machines
Corporation, Andover, Mass.

[**] Term: 14 Years

[21] Appl. No.: 53,416

[22] Filed: Apr. 22, 1996

[51] LOC (6) Cl. 18-99

[52] U.S. Cl. D18/49; D18/46

[58] Field of Search D18/46-49, 99;
214/8.5; 271/99, 121, 182; 414/796, 796.1,
796.4, 797.7, 798, 798.1

[56] References Cited

U.S. PATENT DOCUMENTS			
D. 200,129	1/1965	Plantholdt	D18/38
D. 236,378	8/1975	Yanofsky	D18/38
D. 236,379	8/1975	Yanofsky	D18/38
D. 255,456	6/1980	Bevilacqua et al.	D18/38
D. 263,289	3/1982	Onoue et al.	D18/38
D. 275,764	10/1984	Olson	D18/38
D. 354,766	1/1995	Meister, Jr.	D18/99
820,804	5/1906	Lucy	271/159
1,158,045	10/1915	Graham	
2,936,909	5/1960	Gard	214/8.5
3,095,193	6/1963	Sorenson	271/42
3,190,642	6/1965	Smith	271/42
3,206,042	9/1965	Peterson	214/8.5
3,640,426	2/1972	Hammer	221/67
3,661,278	5/1972	Hammerle	214/8.5
3,690,476	9/1972	Stacy	414/796.1
3,726,168	4/1973	Glanz et al.	271/31
3,960,291	6/1976	Navi	221/36
3,995,092	11/1976	Hubert	214/8.5
3,997,067	12/1976	Murata	214/8.5
4,046,370	9/1977	Navi	271/3.1
4,079,846	3/1978	Tsuruta	414/796.6
4,119,219	10/1978	Marschke	214/8.5
4,396,336	8/1983	Malamood	414/115

4,405,276	9/1983	Wiegand	414/119
4,547,115	10/1985	Charbonnet	414/121
4,667,948	5/1987	Angelbeck et al.	271/98
4,699,371	10/1987	Ettischer et al.	271/99
4,701,094	10/1987	Courjaret et al.	271/37
4,718,808	1/1988	Hoshino et al.	271/138
4,718,809	1/1988	Krasuski et al.	271/121 X
4,783,064	11/1988	Hayashi	271/131
4,907,942	3/1990	Pfeil	414/798
4,955,784	9/1990	Staszewski et al.	414/796.4
4,966,521	10/1990	Frye et al.	271/182 X
4,988,263	1/1991	Odenthal	414/795.8
5,011,126	4/1991	Suzuki et al.	271/227
5,018,940	5/1991	Hognestad et al.	414/796.8
5,026,250	6/1991	Hofer	414/796.1
5,067,702	11/1991	Muraishi et al.	271/137
5,096,367	3/1992	Winski	414/798.1
5,096,370	3/1992	Mohr	414/796 X
5,096,372	3/1992	Maejima	414/796.7
5,102,293	4/1992	Schneider	414/796
5,207,416	5/1993	Soler	271/31
5,261,667	11/1993	Breeding	273/149
5,380,147	1/1995	Hess et al.	414/796

FOREIGN PATENT DOCUMENTS

3443735	6/1986	Germany	271/131
749777	7/1980	U.S.S.R.	271/131
1039435	8/1966	United Kingdom	414/796.1

OTHER PUBLICATIONS

PCT International Search Report for PCT/US96/08786, Sep. 5, 1996.

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Fish & Richardson P.C.

[57] CLAIM

The ornamental design for a paper set feeder, as shown and described.

DESCRIPTION

FIG. 1 is a view as seen from the front and upper left of a paper set feeder showing our new design;
FIG. 2 is a front end elevational view of the paper set feeder of FIG. 1;
FIG. 3 is a rear end elevational view of the paper set feeder of FIG. 1;





FIG. 4 is a right side elevational view of the paper set feeder of FIG. 1;

FIG. 5 is a left side elevational view of the paper set feeder of FIG. 1;

FIG. 6 is a view as seen from the upper right of the paper set feeder of FIG. 1;

FIG. 7 is a view as seen from the upper left of the paper set feeder of FIG. 1;

FIG. 8 is a view as seen from the front and upper left of a second embodiment of a paper set feeder;

FIG. 9 is a front end elevational view of the paper set feeder of FIG. 8;

FIG. 10 is a rear end elevational view of the paper set feeder of FIG. 8;

FIG. 11 is a right side elevational view of the paper set feeder of FIG. 8;

FIG. 12 is a left side elevational view of the paper set feeder of FIG. 8;

FIG. 13 is a view as seen from the upper right of the paper set feeder of FIG. 8;

FIG. 14 is a view as seen from the upper left of the paper set feeder of FIG. 8;

FIG. 15 is a view as seen from the front and upper left of a third embodiment of a paper set feeder;

FIG. 16 is a front end elevational view of the paper set feeder of FIG. 15;

FIG. 17 is a rear end elevational view of the paper set feeder of FIG. 15;

FIG. 18 is a right side elevational view of the paper set feeder of FIG. 15;

FIG. 19 is a left side elevational view of the paper set feeder of FIG. 15;

FIG. 20 is a view as seen from the upper right of the paper set feeder of FIG. 15;

FIG. 21 is a view as seen from the upper left of the paper set feeder of FIG. 15;

FIG. 22 is a view as seen from the front and upper left of a fourth embodiment of a paper set feeder;

FIG. 23 is a front end elevational view of the paper set feeder of FIG. 22;

FIG. 24 is a rear end elevational view of the paper set feeder of FIG. 22;

FIG. 25 is a right side elevational view of the paper set feeder of FIG. 22;

FIG. 26 is a left side elevational view of the paper set feeder of FIG. 22;

FIG. 27 is a view as seen from the upper right of the paper set feeder of FIG. 22; and,

FIG. 28 is a view as seen from the upper left of the paper set feeder of FIG. 22.

1 Claim, 16 Drawing Sheets




FIG. 1

FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 7




FIG. 6




FIG. 8

FIG. 9



FIG. 10




FIG. 11





FIG. 12






FIG. 13




FIG. 14




FIG. 15

FIG. 16



FIG. 17




FIG. 18





FIG. 19






FIG. 21




FIG. 20




FIG. 22

FIG. 23




FIG. 24




FIG. 25





FIG. 26






FIG. 28




FIG. 27