

US00D400032S

United States Patent [19]
Richter

[11] **Patent Number: Des. 400,032**

[45] **Date of Patent: **Oct. 27, 1998**

[54] **SEAT PLATE**

[76] Inventor: **Herbert Richter**, Drosselweg 8, 75331, Engelbrand, Germany

[**] Term: **14 Years**

[21] Appl. No.: **77,214**

[22] Filed: **Sep. 29, 1997**

[51] **LOC (6) Cl. 06-06**

[52] **U.S. Cl. D6/502**

[58] **Field of Search** D6/334, 335, 336, D6/354, 363, 368, 500, 501, 502; 135/66, 74; 248/164, 431, 432; 297/16.1, 16.2, 57, 118, 129, 195.11

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 114,903 5/1939 O'Connor D6/502
- D. 251,098 2/1979 Diedrich et al. D6/354
- D. 338,345 8/1993 Camp D6/363

- D. 371,477 7/1996 Lee D6/502
- 2,002,118 5/1935 Johnson 297/57
- 2,542,040 2/1951 MacLellan D6/368 X
- 2,649,140 8/1953 Housel D6/368 X
- 3,310,340 3/1967 Brewer et al. 297/16.1

Primary Examiner—Gary D. Watson
Attorney, Agent, or Firm—Klaus J. Bach


[57] **CLAIM**

The ornamental design for a seat plate, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the seat plate;
FIG. 2 is a front end view of the seat plate shown in FIG. 1;
FIG. 3 is a rear end view of seat plate shown in FIG. 1;
FIG. 4 is a side view of the seat plate as seen from the right side of FIG. 3;
FIG. 5 is a top view of the seat plate shown in FIG. 1; and,
FIG. 6 is a bottom view of the seat plate shown in FIG. 1.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6