



US00D400130S

**United States Patent** [19]  
**Blankenship et al.**

[11] **Patent Number: Des. 400,130**

[45] **Date of Patent: \*\*Oct. 27, 1998**

[54] **TIRE TREAD**

[75] Inventors: **Leonard F. Blankenship**, Sterling;  
**James G. Guspodin**, Akron; **Joseph N. Neff**, Cuyahoga Falls, all of Ohio

[73] Assignee: **Bridgestone/Firestone, Inc.**, Akron, Ohio

[\*\*] Term: **14 Years**

[21] Appl. No.: **73,235**

[22] Filed: **Jul. 10, 1997**

[51] **LOC (6) Cl.** ..... **12-15**

[52] **U.S. Cl.** ..... **D12/146**

[58] **Field of Search** ..... D12/134, 136,  
D12/138, 140-151; 152/209 R, 209 A,  
209 D

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 302,960	8/1989	Himuro et al.	.....	D12/146
D. 305,110	12/1989	Minamitani	.....	D12/147
D. 326,252	5/1992	Slagh	.....	D12/147
D. 345,952	4/1994	Christenbury	.....	D12/147
D. 370,445	6/1996	Wakamatsu et al.	.....	D12/147
D. 382,525	8/1997	Manestar	.....	D12/147
D. 387,719	12/1997	Brown et al.	.....	D12/147
D. 387,721	12/1997	Harris et al.	.....	D12/147

**OTHER PUBLICATIONS**

Goodyear Invicta GS Tire, Tread Design Guide, p. 30, Jan. 1994.

Cascade All Season SBR Tire, 1996 Tread Design Guide, p. 15, Feb. 1996.

Dick Cepek Radial A-S Tire, 1996 Tread Design Guide, p. 90, Feb. 1996.

Dunlop Radial Rover A/T Tire, 1996 Tread Design Guide, p. 91, Feb. 1996.

*Primary Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—Carmen Santa Maria

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The broken lines defining the tire inner bead and the peripheral boundary between the tire bead and the sidewall are for illustrative purposes only and form no part of the claimed design.

In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, having a depth as best shown in FIG. 2.

**1 Claim, 4 Drawing Sheets**








FIG-1




FIG-2






FIG-3




FIG-4