



US00D400199S

United States Patent [19]

Fitch et al.

[11] **Patent Number:** **Des. 400,199**
[45] **Date of Patent:** ****Oct. 27, 1998**

[54] **BAR CODE READER**

[75] Inventors: **Timothy R. Fitch**, Syracuse; **Robert L. Naas**, Skaneateles; **Craig Whitaker**, Marietta, all of N.Y.

[73] Assignee: **Welch Allyn, Inc.**, Skaneateles Falls, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **78,916**

[22] Filed: **Nov. 5, 1997**

[51] **LOC (6) Cl.** **14-02**

[52] **U.S. Cl.** **D14/116**

[58] **Field of Search** D14/100, 114, D14/116, 107; 235/375, 378, 385, 454, 462, 472, 486; 382/312-15, 318-19, 321; 250/203.1, 216; D26/37, 45, 50

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 349,109 7/1994 Karlin D14/116

D. 356,559 3/1995 Roustaei D14/116
D. 358,588 5/1995 LaManna et al. D14/116
D. 361,565 8/1995 LaManna et al. D14/116
D. 362,435 9/1995 Charych et al. D14/116

Primary Examiner—M. H. Tung
Attorney, Agent, or Firm—Wall Marjama & Bilinski


[57] **CLAIM**

The ornamental design for a bar code reader, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the invention of FIG. 1;
FIG. 2 is a right side elevation view of the invention of FIG. 1, the left side elevation is a mirror image;
FIG. 3 is a front view of the invention of FIG. 1;
FIG. 4 is a rear view of the invention of FIG. 1;
FIG. 5 is a top view of the invention of FIG. 1; and,
FIG. 6 is a bottom view of the invention of FIG. 1.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2

FIG.4





FIG.3






FIG.5




FIG.6