

US00D400441S

# United States Patent [19]

Warren

[11] **Patent Number:** Des. 400,441  
[45] **Date of Patent:** \*\*Nov. 3, 1998

## [54] ROLL SUPPORT

[75] Inventor: **Robb A. Warren**, Appleton, Wis.

[73] Assignee: **Great Northern Corporation**,  
Appleton, Wis.

[\*\*] Term: **14 Years**

[21] Appl. No.: **63,238**

[22] Filed: **Dec. 2, 1996**

[51] **LOC (6) Cl.** ..... **09-07**

[52] **U.S. Cl.** ..... **D9/456**

[58] **Field of Search** ..... D9/456; 206/391,  
206/496, 499; 211/59.4, 85.5; 220/500

## [56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 332,571 1/1993 Creaden ..... D9/456

(List continued on next page.)

### OTHER PUBLICATIONS

Keyes-Fiber Company, Blueprints, 1979.

Henry Molded Products, Blueprint 12" Stakker, Apr. 6, 1990.

*Primary Examiner*—James Gandy

*Assistant Examiner*—Cathron B. Matta

*Attorney, Agent, or Firm*—Andrus, Scales, Starke &  
Sawall

## [57] **CLAIM**

The ornamental design for a roll support, as shown and described.

## **DESCRIPTION**

FIG. 1 is an isometric view of the roll support of the present invention;

FIG. 2 is a top plan view of the roll support of FIG. 1;

FIG. 3 is a side elevational view of the roll support of FIG. 1;

FIG. 4 is a front elevational view of the roll support of FIG. 1;

FIG. 5 is a rear elevational view of the roll support of FIG. 1;

FIG. 5 is a rear elevational view of the roll support of FIG. 1;

FIG. 6 is a cross-sectional view of the roll support of FIG. 2 taken along line 6—6;

FIG. 7 is a cross-sectional view of the roll support of FIG. 2 taken along line 7—7;

FIG. 8 is an isometric view showing a second embodiment of the roll support of the present invention;

FIG. 9 is a top plan view of the roll support of FIG. 8, the bottom plan view being a mirror image thereof;

FIG. 10 is a side elevational view of the roll support of FIG. 8;

FIG. 11 is a front elevational view of the roll support of FIG. 8;

FIG. 12 is a rear elevational view of the roll support of FIG. 8;

FIG. 13 is a cross-sectional view of the roll support of FIG. 9 taken along line 13—13;

FIG. 14 is a cross-sectional view of the roll support of FIG. 9 taken along line 14—14;

FIG. 15 is an isometric view of a third embodiment of the roll support of the present invention;

FIG. 16 is a top plan view of the roll support of FIG. 15;

FIG. 17 is a side elevational view of the roll support of FIG. 15;

FIG. 18 is a front elevational view of the roll support of FIG. 15, the rear elevational view being a mirror image thereof;

FIG. 19 is a cross-sectional view of the roll support of FIG. 16 taken along line 19—19;

FIG. 20 is a cross-sectional view of the roll support of FIG. 16 taken along line 20—20;

FIG. 21 is an isometric view of a fourth embodiment of the roll support of the present invention;

FIG. 22 is a top plan view of the roll support of FIG. 21, the bottom plan view being a mirror image thereof;

FIG. 23 is a side elevational view of the roll support of FIG. 21;

FIG. 24 is a front elevational view of the roll support of FIG. 21, the rear elevational view being a mirror image thereof;


FIG. 25 is a cross-sectional view of the roll support of FIG. 22 taken along line 25—25; and,

FIG. 26 is a cross-sectional view of the roll support of FIG. 22 taken along line 26—26.

The bottom of the roll support in the first and third embodiments is flat and unornamented.

The roll support is shown with a portion cut away across its mid-section to indicate that it is of indeterminate length, it being understood that the design repeats uniformly throughout its length.

**1 Claim, 8 Drawing Sheets**



---

U.S. PATENT DOCUMENTS			4,385,091	5/1983	Roellchen .....	428/134
			4,435,463	3/1984	Roellchen .....	428/158
2,838,173	6/1958	Emery .	4,832,196	5/1989	Butler .....	206/391
2,990,951	7/1961	Fallert .	4,901,870	2/1990	Wright et al. ....	211/59.4
3,708,084	1/1973	Bixler et al. .	5,080,314	1/1992	Moyer et al. ....	248/346
4,195,732	4/1980	Bell .....	5,123,547	6/1992	Koch .....	211/59.4
		206/391				





FIG. 3






FIG. 4




FIG. 5





FIG. 7




FIG. 6





FIG. 10




FIG. 11




FIG. 12





FIG. 13




FIG. 14




FIG. 15




FIG. 17




FIG. 16






FIG. 18

FIG. 19





FIG. 20








FIG. 21




FIG. 23




FIG. 22




FIG. 24

FIG. 25




FIG. 26

