



US00D400479S

United States Patent [19]
Baus

[11] **Patent Number:** **Des. 400,479**
[45] **Date of Patent:** ****Nov. 3, 1998**

[54] **TREAD FOR AN INDUSTRIAL TRACTION TIRE**
[75] Inventor: **André Emile Joseph Baus**,
Bettembourg, Luxembourg
[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio
[**] Term: **14 Years**
[21] Appl. No.: **65,087**
[22] Filed: **Jan. 21, 1997**
[51] **LOC (6) Cl.** **12-15**
[52] **U.S. Cl.** **D12/147**
[58] **Field of Search** D12/134, 136,
D12/138, 140-151; 152/209 R, 209 D,
209 B

[56] **References Cited**

U.S. PATENT DOCUMENTS			
D. 155,065	9/1949	Bete	D90/20
D. 169,835	6/1953	Billingsley	D12/146
D. 250,812	1/1979	Duncan	D12/146
D. 250,946	1/1979	Germain	D12/146
D. 255,674	7/1980	Menin	D12/147
D. 256,008	7/1980	Menin	D12/147
D. 260,872	9/1981	Wright et al.	D12/146
D. 281,238	11/1985	Hinrichsen	D12/147
D. 303,779	10/1989	Bonko	D12/151
D. 307,122	4/1990	Wischhusen	D12/147
D. 312,064	11/1990	Duncan	D12/151
D. 328,579	8/1992	Manestar	D12/147
D. 336,269	6/1993	Hinrichsen et al.	D12/147
D. 340,436	10/1993	Baus	D12/146
D. 342,706	12/1993	Wise	D12/147
D. 350,093	8/1994	Fukushima	D12/147
D. 362,222	9/1995	Guspodin et al.	D12/147
D. 363,907	11/1995	Bonko	D12/151
D. 367,448	2/1996	Baus et al.	D12/146

D. 367,631	3/1996	Bonko	D12/147
D. 371,097	6/1996	Fukushima	D12/147
D. 384,622	10/1997	Scheuren et al.	D12/147
4,982,775	1/1991	Matsumoto	152/209 B
5,464,050	11/1995	Bonko	152/209 B

OTHER PUBLICATIONS

Dynastar YS-10 Radial Tire, 1996 Tread Design Guide, p. 134, Feb. 1996.
Firestone T-831 Radial Tire, 1996 Tread Design Guide, p. 136, Feb. 1996.
Kumho Power Fleet 934 Tire, 1996 Tread Design Guide, p. 146, Feb. 1996.
Sumitomo ST900 Tire, 1996 Tread Design Guide, p. 160, Feb. 1996.
General TL100 Tire, 1996 Tread Design Guide, p. 173, Feb. 1996.
Goodyear AT-2A Radial Tire, 1996 Tread Design Guide, p. 175, Feb. 1996.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—David L. King


[57] **CLAIM**

The ornamental design for a tread for an industrial traction tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the tread for an industrial traction tire tread, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary perspective view of a portion of the tire tread as illustrated in FIG. 1.
The broken lines depicting the tire inner bead and sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4