



US00D400756S

**United States Patent** [19]  
**Henderson**

[11] **Patent Number:** **Des. 400,756**

[45] **Date of Patent:** **\*\*Nov. 10, 1998**

[54] **CORDED, EXTENDABLE STICK BLENDER**

[75] Inventor: **Scott Henderson**, Brooklyn, N.Y.

[73] Assignee: **Conair Corporation**, Stamford, Conn.

[\*\*] Term: **14 Years**

[21] Appl. No.: **81,073**

[22] Filed: **Oct. 9, 1997**

[51] **LOC (6) Cl.** ..... **31-00**

[52] **U.S. Cl.** ..... **D7/376**

[58] **Field of Search** ..... D7/376-386, 413;  
366/129, 130, 197, 199, 204, 205, 314

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 345,076 3/1994 Saltet ..... D7/376
- D. 383,938 9/1997 Littmann ..... D7/376

*Primary Examiner*—Caron D. Veynar  
*Attorney, Agent, or Firm*—Ohlandt, Greeley, Ruggiero & Perle



[57] **CLAIM**

The ornamental design for a corded, extendable stick blender, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, left side perspective view of a corded, extendable stick blender showing my new design;  
 FIG. 2 is a top plan view of the corded, extendable stick blender of FIG. 1;  
 FIG. 3 is a front elevational view of the corded, extendable stick blender of FIG. 1;  
 FIG. 4 is a right side elevational view of the corded, extendable stick blender of FIG. 1;  
 FIG. 5 is a left side elevational view of the corded, extendable stick blender of FIG. 1;  
 FIG. 6 is a rear elevational view of the corded, extendable stick blender of FIG. 1;  
 FIG. 7 is a bottom plan view of the corded, extendable stick blender of FIG. 1; and,  
 FIG. 8 is a perspective view of the corded, extendable stick blender of FIG. 1, with the blender shaft in the extended position.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 8




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6