



US00D400849S

# United States Patent [19]

Ikeda et al.

[11] **Patent Number: Des. 400,849**

[45] **Date of Patent: \*\*Nov. 10, 1998**

[54] **BATTERY CASE**

[75] Inventors: **Matsuhara Ikeda; Keita Amano**, both of Osaka, Japan

[73] Assignees: **Matsushita Electric Industrial Co. Ltd.; Miyagawa Kasei Industry Co., Ltd.**, both of Osaka, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **77,748**

[22] Filed: **Oct. 8, 1997**

[30] **Foreign Application Priority Data**

Jun. 30, 1997 [JP] Japan ..... 9-60008

[51] **LOC (6) Cl.** ..... **13-02**

[52] **U.S. Cl.** ..... **D13/106**

[58] **Field of Search** ..... D13/104, 106; 429/121, 153, 154, 160, 163, 175, 176, 187

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 109,401 4/1938 Greene ..... D13/104

D. 242,048 10/1976 Frode ..... D13/106  
D. 292,696 11/1987 Sahli ..... D13/106  
D. 310,821 9/1990 Hulsebus et al. .... D13/104  
5,670,274 9/1997 Forrer ..... 429/187

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—W. F. Fasse; W. G. Fasse

[57] **CLAIM**

The ornamental design for a battery case, as shown.

**DESCRIPTION**

FIG. 1 is a front view of a battery case showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof; and,

FIG. 7 is a perspective view thereof.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

