

US00D400929S

**United States Patent** [19]  
**Tanaka**

[11] **Patent Number: Des. 400,929**

[45] **Date of Patent: \*\*Nov. 10, 1998**

[54] **COIN DOOR BRACKET**

[75] Inventor: **Yoshinobu Tanaka**, Iwatuki, Japan

[73] Assignee: **Asahi Seiko Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **72,727**

[22] Filed: **Jun. 25, 1997**

[30] **Foreign Application Priority Data**

Feb. 17, 1997 [JP] Japan ..... 9-4069

[51] **LOC (6) Cl.** ..... **20-01**

[52] **U.S. Cl.** ..... **D20/9**

[58] **Field of Search** ..... D20/1-9; 194/217,  
194/321, 344, 345, 346, 350

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 351,193 10/1994 Abe ..... D20/9

D. 351,194 10/1994 Gorst et al. .... D20/9

D. 351,421 10/1994 Abe ..... D20/9  
3,194,378 7/1965 Greenwald ..... 194/346  
4,509,631 4/1985 Kim ..... 194/350

*Primary Examiner*—Sandra L. Morris  
*Attorney, Agent, or Firm*—Price, Gess & Ubell

[57] **CLAIM**

I claim the ornamental design for a coin door bracket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the coin door bracket showing the new design the broken line showing is for illustrative purposes only, and forms no part of the claimed design;

FIG. 2 is a front elevational view of FIG. 1;

FIG. 3 is a right side elevational view of FIG. 1;

FIG. 4 is a top plan view of FIG. 1;

FIG. 5 is a rear elevational view of FIG. 1;

FIG. 6 is a left side elevational view of FIG. 1; and,

FIG. 7 is a bottom plan view of FIG. 1.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7

