



US00D401166S

**United States Patent** [19]  
**Afilani**

[11] **Patent Number: Des. 401,166**

[45] **Date of Patent: \*\*Nov. 17, 1998**

[54] **LOCATOR DEVICE**

*Attorney, Agent, or Firm—Nixon & Vanderhye PC*

[76] **Inventor: Thomas Afilani, R.D. 5, Box 171, Jersey Shore, Pa. 17740**

[57] **CLAIM**

The ornamental design for a “locator device,” as shown and described.

[\*\*] **Term: 14 Years**

**DESCRIPTION**

[21] **Appl. No.: 76,516**

FIG. 1 is a top view of the locator device according to the present invention;

[22] **Filed: Sep. 12, 1997**

FIG. 2 is a side view thereof, the opposite side being a mirror image;

[51] **LOC (6) Cl. .... 10-04**

FIG. 3 is a bottom view thereof;

[52] **U.S. Cl. .... D10/46**

FIG. 4 is a front view thereof;

[58] **Field of Search ..... D10/46; 324/329, 324/327; 340/572, 573**

FIG. 5 is a rear view thereof;

[56] **References Cited**

FIG. 6 is a side view of the locator device according to the present invention including a handle; and,

**U.S. PATENT DOCUMENTS**

FIG. 7 is a rear view thereof.

D. 306,703 3/1990 Afilani ..... D10/46

*Primary Examiner—Antoine Duval Davis*

**1 Claim, 3 Drawing Sheets**




Fig. 1




Fig. 3




Fig. 2





Fig. 5




Fig. 4

Fig. 7




Fig. 6

