



US00D401263S

United States Patent [19]
McCabe

[11] **Patent Number: Des. 401,263**

[45] **Date of Patent: **Nov. 17, 1998**

[54] **PHOTOGRAPHY GUIDE FOR DEPTH OF FIELD AND ACTION STOPPING SHUTTER SPEED**

3,045,906 7/1962 Burg 235/70 R

Primary Examiner—Philip S. Hyder
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Zackery Legal Group

[76] Inventor: **Robert J. McCabe**, 328 SW. 176th Pl.,
Seattle, Wash. 98166

[57] **CLAIM**

[**] Term: **14 Years**

An ornamental design for a photography guide for depth of field and action stopping shutter speed, as shown and described.

[21] Appl. No.: **57,804**

[22] Filed: **Aug. 1, 1996**

DESCRIPTION

Related U.S. Application Data

FIG. 1 is a reduced front perspective view of the photography guide for depth of field and action stopping shutter speed showing my new design;

[63] Continuation-in-part of Ser. No. 51,720, Mar. 15, 1996, abandoned.

FIG. 2 is a front elevational view of the photography guide for depth of field and action stopping shutter speed;

[51] **LOC (6) Cl.** **16-05**

FIG. 3 is a rear elevational view of the photography guide for depth of field and action stopping shutter speed;

[52] **U.S. Cl.** **D16/237**

FIG. 4 is a side elevational view of the photography guide for depth of field and action stopping shutter speed;

[58] **Field of Search** D6/300-302; D16/237,
D16/241; D20/10, 11, 22, 23, 18; D10/71;
D19/37; 40/490, 491; 235/70 R, 70 C;
396/429, 661

FIG. 5 is a side elevational view of the photography guide for depth of field and action stopping shutter speed, opposite from the end shown in FIG. 4;

[56] **References Cited**

FIG. 6 is an end elevational view of the photography guide for depth of field and action stopping shutter speed; and,

U.S. PATENT DOCUMENTS

FIG. 7 is an end elevational view of the photography guide for depth of field and action stopping shutter speed, opposite from the end shown in FIG. 6.

D. 312,830	12/1990	Coutta	D16/237
D. 344,102	2/1994	Polak et al.	D20/11
D. 345,584	3/1994	Gollon	D20/22
1,866,133	7/1932	Simon	235/70 R

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 6



FIG. 7



FIG. 4




FIG. 5




FIG. 2





FIG. 3



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 401,263
DATED : November 17, 1998
INVENTOR(S): Robert J. McCabe

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page, showing an illustrative figure, should be deleted and substitute therefor the attached title page.

Delete Drawing Sheets 1-3, and substitute therefor the Drawing Sheets, consisting of FIGS. 1-7, as shown on the attached pages.

Signed and Sealed this
Nineteenth Day of October, 1999

Attest:



Q. TODD DICKINSON

Attesting Officer

Acting Commissioner of Patents and Trademarks



United States Patent [19]
McCabe

[11] **Patent Number: Des. 401,263**

[45] **Date of Patent: **Nov. 17, 1998**

[54] **PHOTOGRAPHY GUIDE FOR DEPTH OF FIELD AND ACTION STOPPING SHUTTER SPEED**

[76] **Inventor: Robert J. McCabe, 328 SW. 176th Pl., Seattle, Wash. 98166**

[**] **Term: 14 Years**

[21] **Appl. No.: 57,804**

[22] **Filed: Aug. 1, 1996**

Related U.S. Application Data

[63] **Continuation-in-part of Ser. No. 51,720, Mar. 15, 1996, abandoned.**

[51] **LOC (6) CL. 16-05**

[52] **U.S. Cl. D16/237**

[58] **Field of Search D6/300-302; D16/237, D16/241; D20/10, 11, 22, 23, 18; D10/71; D19/37; 40/490, 491; 235/70 R, 70 C; 396/429, 661**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 312,830	12/1990	Coutta	D16/237
D. 344,102	2/1994	Polak et al.	D20/11
D. 345,584	3/1994	Gollon	D20/22
1,866,133	7/1932	Simon	235/70 R

3,045,906 7/1962 Burg 235/70 R

Primary Examiner—Philip S. Hyder
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Zackery Legal Group

[57] **CLAIM**

An ornamental design for a photography guide for depth of field and action stopping shutter speed, as shown and described.

DESCRIPTION

FIG. 1 is a reduced front perspective view of the photography guide for depth of field and action stopping shutter speed showing my new design;
FIG. 2 is a front elevational view of the photography guide for depth of field and action stopping shutter speed;
FIG. 3 is a rear elevational view of the photography guide for depth of field and action stopping shutter speed;
FIG. 4 is a side elevational view of the photography guide for depth of field and action stopping shutter speed;
FIG. 5 is a side elevational view of the photography guide for depth of field and action stopping shutter speed, opposite from the end shown in FIG. 4;
FIG. 6 is an end elevational view of the photography guide for depth of field and action stopping shutter speed; and,
FIG. 7 is an end elevational view of the photography guide for depth of field and action stopping shutter speed, opposite from the end shown in FIG. 6.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 2




FIG. 3

