



US00D401488S

United States Patent [19]

Bates et al.

[11] Patent Number: Des. 401,488

[45] Date of Patent: **Nov. 24, 1998

[54] **PLIER DEVICE**

[75] Inventors: **Darryle Eugene Bates**, Cuyahoga Falls, Ohio; **Vincent J. Kiernan**, Marco Island, Fla.

[73] Assignee: **Stride Tool, Inc.**, Ellicottville, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **67,063**

[22] Filed: **Feb. 21, 1997**

[51] **LOC (6) Cl.** **08-05**

[52] **U.S. Cl.** **D8/52; D8/51**

[58] **Field of Search** D8/51, 52, 55, D8/58, 99, 105, 107; 7/117, 133, 128, 130, 127, 106, 107, 125, 126; 81/424, 426, 427.5, 440; 140/117, 118, 149, 121, 139; 30/153, 162, 91.2, 254, 156, 28; 74/127

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 260,476	9/1981	Knaus	D8/55
2,394,807	2/1946	Robinson	7/130
3,420,280	1/1969	Allyn	140/149
4,665,953	5/1987	Randall	140/118
5,560,402	10/1996	Bates	140/118
5,604,947	2/1997	Bates et al.	7/133

Primary Examiner—Freda Nunn

Attorney, Agent, or Firm—Calfee, Halter & Griswold LLP


[57] **CLAIM**

The ornamental design of the plier device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a plier device according to this invention in the closed position;
 FIG. 2 is a left side elevation view of the plier device of FIG. 1;
 FIG. 3 is a right side elevation view of the plier device of FIG. 1;
 FIG. 4 is a rear end elevation view of the plier device of FIG. 1;
 FIG. 5 is a front end elevation view of the plier device of FIG. 1;
 FIG. 6 is a top plan view of the plier device of FIG. 1;
 FIG. 7 is a bottom up plan view of the plier device of FIG. 1;
 FIG. 8 is a top plan view of the plier device of FIG. 1 in the open position;
 FIG. 9 is a bottom up plan view of the plier device of FIG. 1 in the open position;
 FIG. 10 is a left side elevation view of the plier device of FIG. 1 in the open position;
 FIG. 11 is a right side elevation view of the plier device of FIG. 1 in the open position;
 FIG. 12 is a rear end elevation view of the plier device of FIG. 1 in the open position; and,
 FIG. 13 is a front end elevation view of the plier device of FIG. 1 in the open position.

1 Claim, 5 Drawing Sheets






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6



Fig.7




Fig. 8





Fig. 9




Fig.10




Fig.11




Fig.13




Fig.12