



US00D401523S

United States Patent [19]

Baker

[11] **Patent Number: Des. 401,523**

[45] **Date of Patent: **Nov. 24, 1998**

[54] **COMBINED REMOTE CONTROL TRANSMITTER AND FIRE DETECTOR**

[76] Inventor: **Don C. Baker**, 2813 SW. Prairie, #20, Topeka, Kans. 66614

[**] Term: **14 Years**

[21] Appl. No.: **81,234**

[22] Filed: **Dec. 24, 1997**

[51] **LOC (6) Cl. 10-05**

[52] **U.S. Cl. D10/106**

[58] **Field of Search** D10/104, 106, D10/116, 121; 340/540, 545, 571, 572, 573, 627, 628, 629, 630; D14/174

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 333,796 3/1993 Brannon D10/106
D. 374,634 10/1996 Svedine D10/106
D. 381,592 7/1997 Gould D10/106

D. 382,823 8/1997 Newland, Jr. et al. D10/106

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Chase & Yakimo


[57] **CLAIM**

The ornamental design for a combined remote control transmitter and fire detector, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combined remote control transmitter and fire detector showing my new design; FIG. 2 is a front view of a combined remote control transmitter and fire detector shown in FIG. 1; FIG. 3 is a top view of a combined remote control transmitter and fire detector shown in FIG. 1; FIG. 4 is a rear view of a combined remote control transmitter and fire detector shown in FIG. 1; and, FIG. 5 is a left side view of a combined remote control transmitter and fire detector shown in FIG. 1, the right side being a mirror image thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5