



US00D401552S

United States Patent [19]

Tanaka et al.

[11] Patent Number: Des. 401,552

[45] Date of Patent: **Nov. 24, 1998

[54] BATTERY CHARGER

[75] Inventors: Yosuke Tanaka, Hyogo; Kazuo Takaka, Nara, both of Japan

[73] Assignee: Sanyo Electric Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 56,777

[22] Filed: Jul. 9, 1996

[30] Foreign Application Priority Data

Jan. 16, 1996 [JP] Japan 8-801

[51] LOC (6) Cl. 13-02

[52] U.S. Cl. D13/107

[58] Field of Search D13/107, 108; 320/2, 3, 4, 15

[56] References Cited

U.S. PATENT DOCUMENTS

D. 359,474 6/1995 Palatov D13/108

D. 375,936 11/1996 Palatov D13/108

FOREIGN PATENT DOCUMENTS

910138 10/1994 Japan .

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Loeb & Loeb LLP

[57] CLAIM

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left elevational view thereof; and, FIG. 7 is a right elevational view thereof.

The broken line showing in FIG. 1 is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

