



US00D401585S

# United States Patent [19] Boyd

[11] Patent Number: Des. 401,585

[45] Date of Patent: \*\*Nov. 24, 1998

[54] **SPEAKER BOX**

[75] Inventor: **Edward L. Boyd**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **68,367**

[22] Filed: **Apr. 8, 1997**

[51] **LOC (6) Cl.** ..... **14-01**

[52] **U.S. Cl.** ..... **D14/214; D14/211**

[58] **Field of Search** ..... D14/114, 204,  
D14/207-216; 181/144, 145, 147, 148,  
153, 157, 198, 199; 381/24, 88, 90-91,  
153, 159, 186, 188

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 227,478	6/1973	Ekdahl et al.	.....	D14/212
D. 324,685	3/1992	Strohbeen	.....	D14/210 X
D. 359,286	6/1995	Fujino	.....	D14/212
D. 360,885	8/1995	Sheu	.....	D14/215
4,802,551	2/1989	Jacobsen	.....	181/199 X

**OTHER PUBLICATIONS**

Stereo Review, p. 18, Rosinante speaker, Nov. 1994.

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—Nanda Bondade

*Attorney, Agent, or Firm*—Foley & Lardner

[57] **CLAIM**

The ornamental design for a speaker box, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a speaker box showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a reference perspective view thereof wherein a stand is attached thereto;

FIG. 9 is a reference front view thereof wherein the speaker box is attached to a monitor;

FIG. 10 is a perspective view of a second embodiment of a speaker box showing my new design;

FIG. 11 is a top plan view of the embodiment of FIG. 10; FIG. 12 is a left side elevational view of the embodiment of FIG. 10;

FIG. 13 is a front elevational view of the embodiment of FIG. 10;

FIG. 14 is a bottom plan view of the embodiment of FIG. 10;

FIG. 15 is a right side elevational view of the embodiment of FIG. 10;

FIG. 16 is a rear elevational view of the embodiment of FIG. 10;

FIG. 17 is a reference perspective view of the embodiment of FIG. 10 wherein a stand is attached to the speaker box; and,

FIG. 18 is a reference perspective view of the embodiment of FIG. 10 wherein the speaker box is attached to a monitor;

FIG. 19 is a front elevational view of a third embodiment of a speaker box showing my new design;

FIG. 20 is a reference perspective view of the embodiment of FIG. 19 wherein the speaker box is attached to a monitor;

The remaining views the third embodiment are mirror images of the respective views of the first embodiment;

FIG. 21 is a front elevational view of a fourth embodiment of a speaker box showing my new design;

FIG. 22 is a reference perspective view of the embodiment of FIG. 21 wherein the speaker box is attached to a monitor; and,

The remaining views the fourth embodiment are mirror images of the respective views of the second embodiment.

The broken line showing of the stand on FIGS. 8 and 17 and the monitor portions on FIGS. 9, 18, 20 and 22 are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 15 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 5




FIG. 6




FIG. 3




FIG. 7




FIG. 4






FIG. 8




FIG. 9




FIG. 10






FIG. 11



FIG. 14




FIG. 15




FIG. 12




FIG. 16




FIG. 13




FIG. 17




FIG. 18






FIG. 21




FIG. 19




FIG. 20




FIG. 22

