



US00D401658S

**United States Patent** [19]  
**Bullock**

[11] **Patent Number: Des. 401,658**

[45] **Date of Patent: \*\*Nov. 24, 1998**

[54] **10-22 RECOIL BUFFER**

[76] Inventor: **Larry Alan Bullock**, P.O. Box 104903,  
Jefferson City, Mo. 65110

[\*\*] Term: **14 Years**

[21] Appl. No.: **55,976**

[22] Filed: **Jun. 19, 1996**

[51] **LOC (6) Cl.** ..... **22-01**

[52] **U.S. Cl.** ..... **D22/108; D22/100; D22/199**

[58] **Field of Search** ..... **D22/100, 108,**  
**D22/111, 199; 89/44.01, 44.02, 177, 198**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 285,235	8/1986	Cellini .....	D22/108
659,507	10/1900	Browning .....	89/177 X
754,896	3/1904	Rothe .....	89/44.01 X
2,465,196	3/1949	Browning .....	89/177

2,685,822	8/1954	Walton .....	89/44.01
5,339,789	8/1994	Heitz .....	89/44.01 X
5,491,917	2/1996	Dilhan et al. ....	89/44.02 X

*Primary Examiner*—Louis S. Zarfes  
*Assistant Examiner*—Monica A. Weingart  
*Attorney, Agent, or Firm*—Richard J. Grundstrom


[57] **CLAIM**

The ornamental design for a 10-22 recoil buffer, as shown.

**DESCRIPTION**

FIG. 1 is a front view of the 10-22 recoil buffer showing the unique design of the invention;  
FIG. 2 is an end view of the 10-22 recoil buffer;  
FIG. 3 is an isometric view showing the 10-22 recoil buffer;  
FIG. 4 is a side view of another embodiment of the 10-22 recoil buffer of this design; and,  
FIG. 5 is an isometric view of another embodiment of the 10-22 recoil buffer of this design.

**1 Claim, 2 Drawing Sheets**






FIG.1.



FIG.2.




FIG.3.




FIG. 4.




FIG. 5.