



US00D401713S

**United States Patent** [19]  
**Simon**

[11] **Patent Number: Des. 401,713**  
[45] **Date of Patent: \*\*Nov. 24, 1998**

- [54] **BOAT BOW WHEEL ACCESSORY FOR SINGLE HANDED TRANSPORT TO A LAUNCHING SITE**
- [76] Inventor: **Roy O. P. Simon**, RR 2, Site 11-47, 681 Silverlane SW., Cranbrook, British Columbia, Canada, V1C 4H3
- [\*\*] Term: **14 Years**
- [21] Appl. No.: **64,340**
- [22] Filed: **Dec. 30, 1996**
- [51] **LOC (6) Cl.** ..... **12-02**
- [52] **U.S. Cl.** ..... **D34/23; D12/317**
- [58] **Field of Search** ..... **D34/12, 23; 280/47.331, 280/414.2, 47.32; 188/31; 114/344**

2,863,159	12/1958	Bear .....	114/344
2,929,079	3/1960	Totten .....	114/344
3,659,868	5/1972	Tucker .....	280/47.32
3,671,056	6/1972	Windemuth .....	280/47.32

*Primary Examiner*—Kay H. Chin

[57] **CLAIM**



The ornamental design for a boat bow wheel accessory for single-handed transport to a launching site, as shown and described.

**DESCRIPTION**


FIG. 1 is a front elevational view of the boat bow wheel accessory for single-handed transport to a launching site showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- 2,484,346 10/1949 Lorns ..... 280/47.32
- 2,525,715 10/1950 Oeth ..... 280/47.32

**1 Claim, 3 Drawing Sheets**



*FIG. 1*



*FIG. 2*




FIG. 3




FIG. 4




FIG. 5




FIG. 6

