



US00D401713S

United States Patent [19] Simon

[11] **Patent Number: Des. 401,713**

[45] **Date of Patent: **Nov. 24, 1998**

[54] **BOAT BOW WHEEL ACCESSORY FOR SINGLE HANDED TRANSPORT TO A LAUNCHING SITE**

2,863,159	12/1958	Bear	114/344
2,929,079	3/1960	Totten	114/344
3,659,868	5/1972	Tucker	280/47.32
3,671,056	6/1972	Windemuth	280/47.32

[76] Inventor: **Roy O. P. Simon**, RR 2, Site 11-47, 681 Silverlane SW., Cranbrook, British Columbia, Canada, V1C 4H3

Primary Examiner—Kay H. Chin

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **64,340**

The ornamental design for a boat bow wheel accessory for single-handed transport to a launching site, as shown and described.

[22] Filed: **Dec. 30, 1996**

DESCRIPTION

[51] **LOC (6) Cl.** **12-02**

FIG. 1 is a front elevational view of the boat bow wheel accessory for single-handed transport to a launching site showing my new design;

[52] **U.S. Cl.** **D34/23; D12/317**

FIG. 2 is a rear elevational view thereof;

[58] **Field of Search** D34/12, 23; 280/47.331, 280/414.2, 47.32; 188/31; 114/344

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,484,346	10/1949	Lorns	280/47.32
2,525,715	10/1950	Oeth	280/47.32

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

