



US00D401901S

United States Patent [19]
Bunyea et al.

[11] **Patent Number: Des. 401,901**
[45] **Date of Patent: **Dec. 1, 1998**

[54] **BATTERY PACK CONTACT END**

1,701,093 2/1929 Zook 429/97 X
2,879,316 3/1959 Enikeiff 429/99
4,265,984 5/1981 Kaye 429/178
5,122,427 6/1992 Flowers et al. 429/97

[75] Inventors: **Roderick F. Bunyea**, Westminster, Md.;
Naohiro Hamao, Kanakagawa, Japan;
Alfred H. Judge, Millersville, Md.;
Robert I. Somers, Reisterstown, Md.;
Dale K. Wheeler, Fallston, Md.

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Bruce S. Shapiro; Dennis A. Dearing; John D. Del Ponti

[73] Assignees: **Black & Decker Inc.**, Newark, Del.;
Matsushita Electric Industrial Co., Ltd., Osaka, Japan

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a battery pack contact end, as shown and described.

[21] Appl. No.: **65,730**

DESCRIPTION

[22] Filed: **Nov. 20, 1996**

FIG. 1 is a perspective view of a battery pack contact end showing our design;

Related U.S. Application Data

[63] Continuation of Ser. No. 45,190, Aug. 9, 1995, Pat. No. Des. 376,579, which is a continuation-in-part of Ser. No. 27,000, Aug. 11, 1994, abandoned.

FIG. 2 is a side elevational view of the pack contact end shown in FIG. 1. In side elevation, the pack contact end is symmetrical about its longitudinal axis. All side elevational views of the pack contact end regardless of the line of sight are identical; and,

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/119**

[58] **Field of Search** D13/103, 119;
D8/68; 429/96-100, 163, 178


FIG. 3 is a top plan view of the pack contact end of FIG. 1. In the above Figures, the use of broken lines is for illustrative purposes only to show the environment of the invention. The material shown in broken lines does not form part of the invention.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 345,737 4/1994 Flowers et al. D13/103

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3