



US00D401905S

United States Patent [19] Sato

[11] **Patent Number: Des. 401,905**

[45] **Date of Patent: **Dec. 1, 1998**

[54] **FEMALE CONNECTOR**

[75] Inventor: **Kiyoshi Sato**, Tokyo, Japan

[73] Assignee: **Honda Tsushin Kogyo Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **48,439**

[22] Filed: **Dec. 28, 1995**

[51] **LOC (6) Cl. 13-03**

[52] **U.S. Cl. D13/147**

[58] **Field of Search D13/146, 147;**
439/62, 76, 78, 82, 83, 607, 608, 609, 610

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 333,293 2/1993 Ashida D13/147
- D. 340,241 10/1993 Nakamura D13/146
- D. 351,135 10/1994 Kurata D13/147

- 4,889,503 12/1989 Philippon et al. 439/610
- 4,906,208 3/1990 Nakamura et al. 439/607
- 5,267,882 12/1993 Davis 439/610 X

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Armstrong, Westerman, Hattori, McLeland & Naughton

[57] **CLAIM**

The ornamental design for a female electrical connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the left rear upper side of a female electrical connector showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a rear view thereof; and, FIG. 7 is front view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6

