



US00D401950S

**United States Patent** [19]  
**Chou**

[11] **Patent Number: Des. 401,950**

[45] **Date of Patent: \*\*Dec. 1, 1998**

[54] **HANDY ELECTRIC HEAT SEALING APPARATUS**

[76] Inventor: **Ammy Chou**, 4th FL., No. 276, Sec. 1, Ta Tung Rd., Hsi Chih, Taipei Hsien, Taiwan

[\*\*] Term: **14 Years**

[21] Appl. No.: **80,319**

[22] Filed: **Dec. 5, 1997**

[51] **LOC (6) Cl.** ..... **15-09**

[52] **U.S. Cl.** ..... **D15/146**

[58] **Field of Search** ..... D15/145, 146; 219/227-243; 53/373, 373.2, 374.2-374.9, 510-515, DIG. 2; 156/583.8, 583.9, 366, 498, 359

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 328,750 8/1992 Chou ..... D15/146

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Jeffer, Mangels, Butler & Marmaro LLP

[57] **CLAIM**

The ornamental design for a “handy electric heat sealing apparatus,” as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a “handy electric heat sealing apparatus” showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;


FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a upper view thereof; and,

FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7