



US00D402180S

United States Patent [19] Chappell

[11] **Patent Number:** **Des. 402,180**

[45] **Date of Patent:** ****Dec. 8, 1998**

[54] **DESIGN FOR AN ANTI-THEFT DEVICE**

[76] Inventor: **Neils William Chappell**, 24 King Edward Street, Mt. Eden, New Zealand

[**] Term: **14 Years**

[21] Appl. No.: **58,414**

[22] Filed: **Aug. 14, 1996**

[30] **Foreign Application Priority Data**

Feb. 15, 1996 [NZ] New Zealand 27392

[51] **LOC (6) Cl.** **08-07**

[52] **U.S. Cl.** **D8/333; D8/346**

[58] **Field of Search** D8/330, 331, 333, D8/346; 70/14, 19, 51, 57, 58, 158, 233, 236, 245, 246, 258

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 351,983 11/1994 Young et al. D8/331
5,347,835 9/1994 Dewey 70/233 X
5,511,399 4/1996 Lynn 70/233 X

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Young & Thompson

[57] **CLAIM**


The ornamental design for an anti-theft device, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the assembled article from the top and to the side of one end thereof;
FIG. 2 is a perspective view of the assembled article from the top and to the side of the opposite end thereof;
FIG. 3 is a plan view of the assembled article from the top thereof;
FIG. 4 is a plan view of the assembled article from the bottom thereof;

FIG. 5 is a view of the assembled article from the left side thereof in FIG. 3;
FIG. 6 is a view of the assembled article from the right side thereof in FIG. 3;
FIG. 7 is a view of the assembled article from the lower end thereof in FIG. 3;
FIG. 8 is a view of the assembled article from the upper end thereof in FIG. 3;
FIG. 9 is a plan view of a first component of the article from the top thereof;
FIG. 10 is a plan view of the first component from the bottom thereof;
FIG. 11 is an end view of the first component from the lower end thereof in FIG. 9;
FIG. 12 is an end view of the first component from the upper end thereof in FIG. 10;
FIG. 13 is a side view of the first component from the left side thereof in FIG. 9;
FIG. 14 is a side view of the first component from the right side thereof in FIG. 9;
FIGS. 15 to 17 are sectional views on Arrows A—A, B—B and C—C respectively in FIG. 9;
FIG. 18 is a sectional view on Arrows D—D in FIG. 9;
FIG. 19 is a plan view of a second component of the article from the bottom thereof;
FIG. 20 is a plan view of the second component from the top thereof;
FIG. 21 is an end view of the second component from the upper end thereof in FIG. 19;
FIG. 22 is an end view of the second component from the lower end thereof in FIG. 20;
FIG. 23 is a side view of the second component from the right side thereof in FIG. 20;
FIG. 24 is a side view of the second component from the left side thereof in FIG. 20;
FIGS. 25 to 27 are sectional views on Arrows A—A, B—B and C—C respectively in FIG. 20; and,
FIG. 28 is a sectional view on Arrows D—D in FIG. 20.

1 Claim, 9 Drawing Sheets






Figure 1




Figure 2




Figure 5




Figure 4




Figure 3




Figure 6




Figure 8








Figure 7






Figure 15




Figure 13




Figure 18




Figure 14




Figure 17




Figure 16




Figure 20




Figure 24




Figure 19




Figure 22




Figure 21




Figure 26




Figure 27




Figure 23




Figure 25




Figure 28