



US00D402212S

United States Patent [19]
Sirois et al.

[11] **Patent Number:** **Des. 402,212**
[45] **Date of Patent:** ****Dec. 8, 1998**

[54] **RF THERMOMETER RECEIVER**

D. 300,727 4/1989 Fukushima D10/57
5,632,555 5/1997 Gregory et al. 374/102

[75] Inventors: **Mikael Georges Sirois**, Ottawa, Canada; **Stéfane Erhard Barbeau**, Boston, Mass.; **Kevin Bailey**; **Rudy Anthony Vandenberg**, both of Ottawa, Canada; **Michael Bruce Christopher Irwin**, Pembroke, Canada

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Albert Peter Durigon, esq.

[73] Assignee: **Headwaters Research & Development, Inc.**, Ottawa, Canada

[57] **CLAIM**
The ornamental design for a RF thermometer receiver, as shown and described.

[**] Term: **14 Years**

DESCRIPTION

[21] Appl. No.: **79,308**

[22] Filed: **Nov. 12, 1997**

[51] **LOC (6) Cl.** **10-04**

[52] **U.S. Cl.** **D10/57**


[58] **Field of Search** D10/57; 33/141, 33/149, 102, 152, 155, 163, 164, 168, 170; 340/584; 364/557

FIG. 1 is a front elevational view of the RF thermometer receiver of the present invention;
FIG. 2 is a back elevational view of the RF thermometer receiver of the present invention;
FIG. 3 is a top plan view of the RF thermometer receiver of the present invention;
FIG. 4 is a bottom plan view of the RF thermometer receiver of the present invention;
FIG. 5 is a right side elevational view of the RF thermometer receiver of the present; and,
FIG. 6 is a left side elevational view of the RF thermometer receiver of the present invention.

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 300,515 4/1989 Chan D10/57

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6