



US00D402474S

United States Patent [19]
Danielson

[11] **Patent Number: Des. 402,474**
[45] **Date of Patent: **Dec. 15, 1998**

[54] **BRICK PRINTING APPARATUS**

[76] Inventor: **Lee Danielson**, 210 Juniper St.,
Cosmos, Minn. 56228

[**] Term: **14 Years**

[21] Appl. No.: **59,001**

[22] Filed: **Aug. 30, 1996**

[51] **LOC (6) Cl. 04-04**

[52] **U.S. Cl. D4/137; D32/52**

[58] **Field of Search** D4/129, 135, 137,
D4/138, 199; D8/45; D32/40, 52; 15/159.1,
160, 209.1, 210.1, 210.5, 235.4, 244.1

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,449,856	3/1923	Hampson	15/244.1	X
1,761,109	6/1930	Dietz	15/235.4	
2,551,105	5/1951	Eiden et al.	15/235.4	
5,324,085	6/1994	Hintz, Jr.	15/235.4	X

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor

[57] **CLAIM**

The ornamental design for a brick printing apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the brick printing apparatus of the present invention;

FIG. 2 is a rear view of the brick printing apparatus of FIG. 1;

FIG. 3 is a left side view of the brick printing apparatus of FIG. 1;




FIG. 4 is a right side view of the brick printing apparatus of FIG. 1;

FIG. 5 is a top plan view of the brick printing apparatus of FIG. 1; and,

FIG. 6 is a bottom plan view of the brick printing apparatus of FIG. 1.

The squiggled patterns that are shown on the pad portion of the apparatus represent a conventional material and are understood to repeat continuously throughout the pad's entire surfaces.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6