



US00D402534S

United States Patent [19]
McCoy et al.

[11] **Patent Number:** **Des. 402,534**
[45] **Date of Patent:** ****Dec. 15, 1998**

[54] **SPRING BAR RETAINING BRACKET**

[75] Inventors: **Richard McCoy**, Granger; **Chad A. McCoige**, Mishawaka, both of Ind.

[73] Assignee: **Reese Products, Inc.**, Elkhart, Ind.

[**] Term: **14 Years**

[21] Appl. No.: **65,448**

[22] Filed: **Dec. 3, 1996**

[51] **LOC (6) Cl.** **08-05**

[52] **U.S. Cl.** **D8/354**

[58] **Field of Search** D8/349, 354, 366,
D8/371; D12/223; 248/229, 200, 27.1,
300, 674, 742, 320

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 265,285	7/1982	Englert, Jr.		D8/354
D. 327,001	6/1992	Oosterhuis		D8/373
479,331	7/1892	McGregor		248/200
3,685,230	8/1972	Lickliter et al.		52/714

3,785,680 1/1974 Good et al. .

OTHER PUBLICATIONS

Grammes Catalog, p. 32, clip-item No. 32675, Jan. 1941.

Primary Examiner—Holly Baynham
Attorney, Agent, or Firm—King and Schickli

[57] **CLAIM**


The ornamental design of a spring bar retaining bracket, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the spring bar retaining bracket of the present invention;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The broken line showing of openings is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7