



US00D402564S

United States Patent [19] Holt

[11] **Patent Number: Des. 402,564**

[45] **Date of Patent: **Dec. 15, 1998**

[54] **CLOCK**

[76] **Inventor: Frances Holt, P.O. Box 2146, Milan, N. Mex. 87021**

[**] **Term: 14 Years**

[21] **Appl. No.: 81,932**

[22] **Filed: Nov. 19, 1997**

D. 329,203	9/1992	Robert	D10/126
D. 329,397	9/1992	Robert	D10/126
D. 345,321	3/1994	Kaneko	D10/126
D. 345,936	4/1994	Kaneko	D10/126
2,008,930	7/1935	Schmidt	.	

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Gudrun E. Huckett; Robert W. Becker & Associates

Related U.S. Application Data

[62] Division of Ser. No. 59,544, Sep. 12, 1996, Pat. No. Des. 390,472.

[51] **LOC (6) Cl.** **10-01**

[52] **U.S. Cl.** **D10/6; D10/7**

[58] **Field of Search** D10/1-40, 122-132;
368/276-277, 285, 316-317

References Cited

U.S. PATENT DOCUMENTS

D. 38,017	5/1906	Merchant	.	
D. 47,958	10/1915	Kuch	.	
D. 300,518	4/1989	Fontana	D10/126
D. 315,115	3/1991	Cosandey	D10/126

[57] CLAIM

The ornamental design for a clock, as shown and described.

DESCRIPTION


FIG. 1 is a front elevational view of my novel clock design having a basic octagonal shape with a geometric design in combination with a feather design therebelow, showing the herringbone pattern and showing parallel stitching, as indicated by the parallel lines, in the feather design as well as at the edges of the octagonal shape;

FIG. 2 is a side view showing the parallel stitching;

FIG. 3 is a bottom view showing the parallel stitching; and,

FIG. 4 is a rear view showing an opening for insertion of a battery.

1 Claim, 2 Drawing Sheets






FIG - 1




FIG - 2




FIG - 3




FIG - 4