



US00D402569S

# United States Patent [19]

[11] **Patent Number: Des. 402,569**

**Papic et al.**

[45] **Date of Patent: \*\*Dec. 15, 1998**

[54] **PNEUMATIC THERMOSTAT HOUSING**

[75] Inventors: **William M. Papic**, Eden Prairie; **Ralph E. Pasquarette**, Jordan, both of Minn.

[73] Assignee: **Honeywell Inc.**, Minneapolis, Minn.

[\*\*] Term: **14 Years**

[21] Appl. No.: **74,314**

[22] Filed: **Jul. 8, 1997**

### Related U.S. Application Data

[63] Continuation of Ser. No. 67,243, Feb. 7, 1997, abandoned.

[51] **LOC (6) Cl.** ..... **10-04**

[52] **U.S. Cl.** ..... **D10/50**

[58] **Field of Search** ..... D10/49, 50; 236/46 R, 236/47, 94; 337/112, 327, 360

### References Cited

#### U.S. PATENT DOCUMENTS

D. 374,830 10/1996 Dexter et al. .... D10/50

#### OTHER PUBLICATIONS

Honeywell product brochure form 63-8379 (dated Nov. 1993), entitled "It's Everything You Expect in a Honeywell Control".

Honeywell's advertising copy sheet form 63-8473 (dated Mar. 1996) for TP970 Pneumatic Thermostats.

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Charles L. Rubow

### CLAIM

[57] The ornamental design for a pneumatic thermostat housing, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view as seen from the front, bottom and left sides of a first embodiment of a pneumatic thermo-

stat housing in a accordance with the applicants' design, a separate subbase or wall plate on which the housing may be mounted being shown in broken lines;

FIG. 2 is perspective view as seen from the front, bottom and left side of a second embodiment of a pneumatic thermostat housing in accordance with the applicants' design, a separate subbase or wall plate on which the housing may be mounted being shown in broken lines;

FIG. 3 is a front elevation view of the pneumatic thermostat housing embodiment of FIG. 1;

FIG. 4 is a front elevation view of the pneumatic thermostat housing embodiment of FIG. 2;

FIG. 5 is a right side elevation view of the pneumatic thermostat housing embodiment of FIG. 1;

FIG. 6 is a left side elevation view of the pneumatic thermostat housing embodiment of FIG. 2;


FIG. 7 is a bottom plan view of the pneumatic thermostat housing embodiment of FIG. 1;

FIG. 8 is a bottom plan view of the pneumatic thermostat housing embodiment of FIG. 2; and,


FIG. 9 is a top plan view of the pneumatic thermostat housing embodiments of FIGS. 1 and 2.

The right and left side elevation views of the pneumatic thermostat housing embodiments of FIGS. 1 and 2 respectively are mirror images of one another. The subbase or wall plate shown in broken lines in FIGS. 1 and 2 is included only for illustrating a typical setting for the pneumatic thermostat housing, and does not comprise any portion of the invention. The rear of the pneumatic thermostat housing also does not comprise any portion of the invention, and hence is not shown in the drawings.


**1 Claim, 4 Drawing Sheets**




*Fig. 1*




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 5*




*Fig. 4*




*Fig. 6*



*Fig. 7*



*Fig. 8*



*Fig. 9*