



US00D402693S

United States Patent [19]
Sunaga

[11] **Patent Number: Des. 402,693**

[45] **Date of Patent: **Dec. 15, 1998**

[54] **WRITING INSTRUMENT**

[75] Inventor: **Yuki Sunaga**, Kawagoe, Japan

[73] Assignee: **Kotobuki & Co., Ltd.**, Kyoto-fu, Japan

[**] Term: **14 Years**

[21] Appl. No.: **84,830**

[22] Filed: **Mar. 11, 1998**

[51] **LOC (6) Cl.** **19-06**

[52] **U.S. Cl.** **D19/48; D19/51; D19/55;**
D19/56

[58] **Field of Search** D19/35, 36, 41-51,
D19/53-58, 81-85; 401/99, 100, 103, 110,
111, 209, 88, 6, 7

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 206,636	1/1967	Zierhut et al.	D19/51
D. 355,673	2/1995	Takahashi	D19/48
D. 366,901	2/1996	Takahashi	D19/43 X
D. 378,601	3/1997	Sakuno	D19/48
D. 394,455	5/1998	Izushima	D19/55 X

Primary Examiner—Martie K. Holtje
Attorney, Agent, or Firm—McGinn & Gibb, P.C.

[57] **CLAIM**

The ornamental design for a writing instrument, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the writing instrument according to the present invention;
FIG. 2 is a right side elevational view of the writing instrument of FIG. 1, the left side being a mirror image of the right side;
FIG. 3 is a rear elevational view of the writing instrument of FIG. 1;
FIG. 4 is a top plan view of the writing instrument of FIG. 1;
FIG. 5 is a bottom plan view of the writing instrument of FIG. 1;
FIG. 6 is a top, right side perspective view of the writing instrument of FIG. 1; and,
FIG. 7 is a front elevational view of the writing instrument of FIG. 1; with the writing tip of the writing instrument of FIG. 1 being extended.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7

