



US00D402784S

**United States Patent** [19]  
**Saunders**

[11] **Patent Number: Des. 402,784**

[45] **Date of Patent: \*\*Dec. 15, 1998**

[54] **COIN HOLDER DISPLAY**

[76] Inventor: **Reginald E. Saunders**, P.O. Box 1116,  
3 Skiles Ave., Piscataway, N.J. 08855

[\*\*] Term: **14 Years**

[21] Appl. No.: **77,150**

[22] Filed: **Sep. 29, 1997**

[51] **LOC (6) Cl.** ..... **99-00**

[52] **U.S. Cl.** ..... **D99/34; D21/31**

[58] **Field of Search** ..... **D99/34; D21/31;**  
**273/251, 252, 236, 237, 238, 239; 206/0.8,**  
**0.81, 0.82, 0.83, 0.84; 359/804**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |           |       |        |   |
|------------|---------|-----------|-------|--------|---|
| D. 70,288  | 6/1926  | Martine   | ..... | D99/34 | X |
| D. 240,816 | 8/1976  | Peterson  | ..... | D99/34 | X |
| D. 246,745 | 12/1977 | Charlop   | ..... | D99/34 | X |
| D. 267,047 | 11/1982 | Lindstrom | ..... | D99/34 | X |
| D. 332,684 | 1/1993  | Melamed   | ..... | D99/34 | X |
| D. 350,779 | 9/1994  | Bice      | ..... | D21/31 |   |
| D. 377,811 | 2/1997  | Levy      | ..... | D21/31 |   |

|           |         |                  |       |         |   |
|-----------|---------|------------------|-------|---------|---|
| 3,345,550 | 10/1967 | Carboni          | ..... | D21/31  | X |
| 3,434,719 | 3/1969  | Fyanes           | ..... | D21/31  | X |
| 4,309,111 | 1/1982  | Sobresky, Sr.    | ..... | 359/804 | X |
| 5,288,076 | 2/1994  | Jackson et al.   | ..... | D21/31  | X |
| 5,405,140 | 4/1995  | Terlinden et al. | ..... | 273/251 |   |
| 5,551,697 | 9/1996  | Willenbaing      | ..... | D21/31  | X |

*Primary Examiner*—Paula A. Mortimer


[57] **CLAIM**


The ornamental design for a coin holder display, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a coin holder display showing my new design;  
 FIG. 2 is a right side elevational view of a coin holder display;  
 FIG. 3 is a top and right side perspective view of a coin holder display;  
 FIG. 4 is a front elevational view of a coin holder display;  
 and,  
 FIG. 5 is a bottom plan view of a coin holder display.

**1 Claim, 3 Drawing Sheets**






**Fig. 1**



**Fig. 2**



**Fig. 3**

**Fig. 4**



**Fig. 5**

