



US00D402862S

United States Patent [19] Rose

[11] **Patent Number: Des. 402,862**

[45] **Date of Patent: **Dec. 22, 1998**

[54] **PERFORATED SPIKE TO FACILITATE WATERING OF PLANTS**

[76] Inventor: **Andrew D. Rose**, 8813 E. Charter Oak Dr., Scottsdale, Ariz. 85260

[**] Term: **14 Years**

[21] Appl. No.: **65,609**

[22] Filed: **Jan. 30, 1997**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 594,346, Jan. 30, 1996, Pat. No. 5,692,338.

[51] **LOC (6) Cl.** **08-01**

[52] **U.S. Cl.** **D8/1**

[58] **Field of Search** D8/1; 47/48.5, 47/44, 79, 80

[56] References Cited

U.S. PATENT DOCUMENTS

718,380	1/1903	Patterson	47/48.5
1,791,873	2/1931	Neiman	.
2,145,934	2/1939	Kingman	.
3,151,415	10/1964	James	.
4,361,983	12/1982	Wilson	47/48.5
4,745,706	5/1988	Muza et al.	47/48.5
4,866,880	9/1989	Weinblatt	.

FOREIGN PATENT DOCUMENTS

1104205	11/1955	France	.
2642624	3/1978	Germany	.
191175	8/1937	Switzerland	.
453429	9/1936	United Kingdom	.

Primary Examiner—Doris V. Coles
Assistant Examiner—Catherine R. Oliver
Attorney, Agent, or Firm—Franklin Gubernick

[57] CLAIM


The ornamental design for a perforated spike to facilitate watering of plants, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of a perforated spike in accordance with my invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a right-side elevational view thereof; FIG. 4 is a left-side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a cross-sectional view shown along lines 7—7 in FIG. 1; FIG. 8 is a first perspective view thereof; FIG. 9 is a second perspective view thereof; FIG. 10 is a top plan view of a second embodiment of a spike in accordance with my invention; FIG. 11 is a front elevational view of the spike shown in FIG. 10. Since all sides of the spike are identical, right side, left side and rear views of the spike would appear identical to the view shown in FIG. 11; FIG. 12 is a bottom view thereof; and, FIG. 13 is a cross-sectional view shown along lines 13—13 in FIG. 10.

The second embodiment of the invention (shown in FIGS. 10—13) is identical to the first embodiment of the invention (shown in FIGS. 1—9) except that the second embodiment is manufactured from a transparent material. As a result, internal and external surfaces of the second embodiment are visible at all times.

1 Claim, 4 Drawing Sheets






FIG. 7




FIG. 1




FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 9




FIG. 8




FIG. 10




FIG. 12




FIG. 11




FIG. 13