



US00D402895S

# United States Patent [19]

[11] Patent Number: **Des. 402,895**

**Takahashi et al.**

[45] Date of Patent: **\*\*Dec. 22, 1998**

[54] **CONTAINER WITH HANDLE**

[75] Inventors: **Tetsuo Takahashi**, Soka; **Hiroaki Sugiura**, Hachioji, both of Japan

[73] Assignees: **Yoshino Kogyosho Co., Ltd.**, Tokyo, Japan; **Ocean Spray Cranberries, Inc.**, Lakeville-Middleboro, Mass.

5,338,503 8/1994 Yanigisawa et al. .  
 5,407,086 4/1995 Ota et al. .... 215/383  
 5,469,612 11/1995 Collette et al. .  
 5,535,901 7/1996 Ishii et al. .... 215/398 X  
 5,560,506 10/1996 Yanigisawa .  
 5,637,167 6/1997 Krishnakumar et al. .... 215/396 X

[\*\*] Term: **14 Years**

[21] Appl. No.: **68,332**

[22] Filed: **Apr. 3, 1997**

[51] **LOC (6) Cl.** ..... **09-01**

[52] **U.S. Cl.** ..... **D9/520; D9/531; D9/553**

[58] **Field of Search** ..... D9/531, 520, 455, D9/434, 537-543, 528, 553, 503, 500; 215/385, 398, 396, 381-384, 370-375

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 197,812 3/1964 Worthington ..... D9/531  
 D. 199,590 11/1964 Sarafan ..... D9/531  
 3,140,329 7/1964 Nutting .  
 4,257,525 3/1981 Thompson .  
 4,273,246 6/1981 Thompson .  
 4,281,770 8/1981 Rainville .  
 4,363,415 12/1982 Rainville .  
 4,629,598 12/1986 Thompson .  
 4,727,997 3/1988 Nakamura et al. .  
 4,909,978 3/1990 Hasegawa et al. .  
 4,915,241 4/1990 Morimura et al. .  
 4,952,133 8/1990 Hasegawa et al. .  
 4,964,522 10/1990 Umetsu et al. .  
 5,092,476 3/1992 Yasuda et al. .... 215/398  
 5,167,970 12/1992 Yoshino et al. .... 215/398 X  
 5,297,686 3/1994 Takeuchi .

**FOREIGN PATENT DOCUMENTS**

650900-A1 5/1995 European Pat. Off. .  
 889343 2/1962 United Kingdom .

*Primary Examiner*—Lucy Lieberman  
*Attorney, Agent, or Firm*—Oliff & Berridge, PLC

[57] **CLAIM**

The ornamental design for container with handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side elevation of a container with handle showing our new design, the left side elevation is a mirror image thereto except for the conventional screw threading on the neck;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a side view of the handle of FIG. 1 without the container, the opposite side view being a mirror image;

FIG. 7 is a rear view thereof;


FIG. 8 is a front view thereof;

FIG. 9 is a top view thereof; and,

FIG. 10 is a bottom view thereof.

The handle is shown separately in FIGS. 6-10 for clarity of illustration.

**1 Claim, 4 Drawing Sheets**






FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10