



US00D402919S

United States Patent [19]
Anscher

[11] **Patent Number: Des. 402,919**

[45] **Date of Patent: **Dec. 22, 1998**

[54] **BUCKLE**

D. 386,125 11/1997 Anscher D11/218
4,569,106 2/1986 Lavato 24/615

[75] Inventor: **Joseph Anscher**, Muttontown, N.Y.

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Collard & Roe, P.C.

[73] Assignee: **National Molding Corporation**,
Farmingdale, N.Y.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a buckle, as shown and described.

[21] Appl. No.: **83,578**

DESCRIPTION

[22] Filed: **Feb. 12, 1998**

FIG. 1 shows a perspective view of my design for a buckle as assembled;

[51] **LOC (6) Cl.** **02-07**

FIG. 2 is a front view thereof;

[52] **U.S. Cl.** **D11/218**

FIG. 3 is a rear view thereof;

[58] **Field of Search** D11/200, 215-218;
24/614-616, 633, 196, 625, 650

FIG. 4 is a perspective view of my design for a buckle as disassembled;

[56] **References Cited**

FIG. 5 is a front view thereof;

U.S. PATENT DOCUMENTS

FIG. 6 is a rear view thereof;

D. 340,886 11/1993 Anscher D11/218

FIG. 7 is a side view of the design for a buckle as assembled;

D. 341,105 11/1993 Lavato D11/216

FIG. 8 is a top view thereof; and,

D. 349,262 8/1994 Krauss D11/216

FIG. 9 is a bottom view thereof.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2





FIG. 3






FIG. 4

FIG. 5




FIG. 6






FIG. 7






FIG. 8




FIG. 9