



US00D402957S

# United States Patent [19]

**Kuwayama et al.**

[11] **Patent Number: Des. 402,957**

[45] **Date of Patent: \*\*Dec. 22, 1998**

[54] **BATTERY CHARGER FOR PORTABLE WIRELESS PHONE**

[75] Inventors: **Tatsuo Kuwayama; Tetsufumi Takayasu; Hiroshi Fujiwara**, all of Tokyo, Japan

[73] Assignee: **Kokusai Electric Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **63,465**

[22] Filed: **Dec. 9, 1996**

[30] **Foreign Application Priority Data**

Jun. 14, 1996 [JP] Japan ..... 8-17720

[51] **LOC (6) Cl.** ..... **13-02**

[52] **U.S. Cl.** ..... **D13/108**

[58] **Field of Search** ..... D13/107, 108;  
D14/251, 253; 320/110, 112, 113, 114,  
115

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 301,455	6/1989	Hotsumi et al. ....	D13/108
D. 315,330	3/1991	Soren et al. ....	D13/107
D. 328,889	8/1992	Seki ....	D13/108
D. 345,728	4/1994	Tyneski et al. ....	D13/108
D. 349,097	7/1994	Watanabe ....	D13/108
D. 349,485	8/1994	Richards et al. ....	D13/107
D. 350,540	9/1994	Hyvonen ....	D13/108 X
D. 353,131	12/1994	Nagele ....	D13/107
D. 354,041	1/1995	Scheid et al. ....	D13/108
D. 358,364	5/1995	Siddoway ....	D13/108

D. 361,069	8/1995	Hellier et al. ....	D13/108 X
D. 361,979	9/1995	Shirakawa et al. ....	D13/108
5,256,954	10/1993	Chen ....	320/113
5,689,171	11/1997	Ludewig ....	320/110

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Niels, Lemack & Dingman


[57] **CLAIM**

The ornamental design for a battery charger for a portable wireless phone, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the battery charger for a portable wireless phone of the present invention;  
 FIG. 2 is a rear view of the battery charger of the present invention;  
 FIG. 3 is a top view of the battery charger of the present invention;  
 FIG. 4 is a bottom view of the battery charger of the present invention;  
 FIG. 5 is a side view of the battery charger of the present invention;  
 FIG. 6 is a side view of the battery charger of the present invention taken from the side opposite that shown in FIG. 5;  
 FIG. 7 is a cross-sectional view of the battery charger of the present invention, taken along lines 7—7 of FIG. 3 the cross-sectional view is included for the purpose of showing external surface contours which may not be clear from the remaining illustrations. Features of internal construction shown in broken lines form no part of the claimed design; and,  
 FIG. 8 is a perspective view of the battery charger of the present invention.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8