



US00D402964S

# United States Patent [19]

Kuchar et al.

[11] Patent Number: Des. 402,964

[45] Date of Patent: \*\*Dec. 22, 1998

[54] LIGHTING FIXTURE TRACK SYSTEM

[75] Inventors: James Kuchar, Fall River; Anthony Donato, Wellesley, both of Mass.

[73] Assignee: Lightolier Division of the Genlyte Group Incorporated, Union, N.J.

[\*\*] Term: 14 Years

[21] Appl. No.: 52,910

[22] Filed: Apr. 8, 1996

[51] LOC (6) Cl. .... 13-03

[52] U.S. Cl. .... D13/155; D26/113; D26/140

[58] Field of Search ..... D26/60-66, 113, D26/138, 140; 362/269, 275, 287, 418, 419, 428, 147, 404; 439/110-122; D13/155

[56] References Cited

## U.S. PATENT DOCUMENTS

D. 355,164 2/1995 Shen .  
D. 358,803 5/1995 Shen .  
2,441,461 5/1948 Wayne .  
2,617,849 11/1952 Wright et al. .  
4,814,953 3/1989 Distasio .  
5,154,509 10/1992 Wulfman et al. .

## OTHER PUBLICATIONS

TLS Oval, Progressive Architecture (Apr. 1985).  
Targetti Dicro, Abitare (Mar. 1987).  
Alta Lite, Sistema Bitrack (1981).  
Alta Lite, Targetti Sankey (Dec. 1982).  
Armetide, Progressive Architecture (Mar. 1985).

Primary Examiner—Susan J. Luicas

Attorney, Agent, or Firm—Hopgood, Calimafde, Kalil &amp; Judlowe L.L.P.

## [57] CLAIM

The ornamental design for a lighting fixture track system, as shown and described.

## DESCRIPTION

FIG. 1 is a front perspective view of the lighting fixture track system;

FIG. 2 is a rear perspective view of the lighting fixture track system;

FIG. 3 is a first side elevational view of the lighting fixture track system;

FIG. 4 is a second side elevational view of the lighting fixture track system;

FIG. 5 is a third side elevational view of the lighting fixture track system;

FIG. 6 is a fourth side elevational view of the lighting fixture track system;


FIG. 7 is a plan view of the lighting fixture track system;

FIG. 8 is a perspective view of a second embodiment of the lighting fixture track system, the second embodiment differing from the first only by the omission of the square plate from the end of the track; and,

FIGS. 9-11 are enlarged, fragmentary perspective views of portions of the track common to both embodiments, the track being fragmentarily shown for convenience of illustration.

The track is broken away in FIGS. 1 through 9 to indicate indeterminate length. The track light is shown in broken lines for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG.2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. II