

US00D403109S

United States Patent [19]
Potut

[11] Patent Number: Des. 403,109
[45] Date of Patent: **Dec. 22, 1998

[54] HAIR CLIP WITH ANNULAR SPRINGS

5,052,086 10/1991 Nasuno 24/511
5,148,581 9/1992 Hartmann 24/511

[75] Inventor: Christian Potut, Arbent, France

FOREIGN PATENT DOCUMENTS

[73] Assignee: C.S.P. DIFFUSION, société anonyme,
Arbent, France

17268 4/1935 Australia 132/277
0516564 12/1992 European Pat. Off. .
755662 11/1933 France .
770805 9/1934 France .
2748601 5/1979 Germany 132/277
321799 11/1929 United Kingdom 132/135

[**] Term: 14 Years

[21] Appl. No.: 66,417

[22] Filed: Feb. 13, 1997

OTHER PUBLICATIONS

Related U.S. Application Data

Hong Kong Enterprise Jun. 1995, p. 91—item Nos. B448/
VG, B447M and B446N in the 6th, 7th and 8th rows.

[63] Continuation of Ser. No. 607,172, Feb. 26, 1996, which is a
continuation of Ser. No. 394,260, Feb. 24, 1995, Pat. No.
5,494,060.

Primary Examiner—Ted Shooman
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—William H. Eilberg

[30] Foreign Application Priority Data

Feb. 28, 1994 [FR] France 94 02408

[57] CLAIM

[51] LOC (6) Cl. 28-03

The ornamental design for hair clip with annular springs, as
shown and described.

[52] U.S. Cl. D28/40

[58] Field of Search 28/39–42, 25,
28/27–29, 32–33; 132/273, 275–279, 135

DESCRIPTION


[56] References Cited

U.S. PATENT DOCUMENTS

D. 38,634 6/1907 Wyngaert D28/33
D. 293,489 12/1987 Franzino D28/29
D. 293,490 12/1987 Cabiddu D28/40
825,842 7/1906 Kingman 132/278
2,133,145 10/1938 Jones 132/277
2,160,346 5/1939 Valentine 132/277
2,201,719 5/1940 Eicher .
2,459,926 1/1949 D'Alberto 132/277
2,593,201 4/1952 Saunders 24/500
2,712,319 7/1955 Roitner 132/129
2,796,069 6/1957 Mooney, Jr. D8/42 X
3,090,029 5/1963 Stroebel 24/500
4,508,124 4/1985 Franzino 132/277

FIG. 1 is a perspective view of the design shown in the
closed position;
FIG. 2 is a rear elevational view of the design;
FIG. 3 is a rear elevational view of the design, with the
annular springs removed for a complete disclosure of the
underlying structure;
FIG. 4 is a right hand side elevational view of the design in
the closed position, the left hand side elevational view being
a mirror image of FIG. 4; and,
FIG. 5 is a right hand side elevational view of the design in
the open position, the left hand side elevational view being
a mirror image of FIG. 5.
The undisclosed portions of the top and bottom surfaces
follow the contours of the sides shown.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5