



US00D403298S

United States Patent [19]
Hall et al.

[11] **Patent Number: Des. 403,298**

[45] **Date of Patent: **Dec. 29, 1998**

[54] **BATTERY**

5,001,722 3/1991 Holcomb et al. D13/103 X

[75] Inventors: **Ronald W. Hall**, Stillwater, Minn.;
Harry B. Taylor, Lafayette; **Edward L. Flick**, Denver, both of Colo.

FOREIGN PATENT DOCUMENTS

409283103 10/1997 Japan H01M 2/10

[73] Assignee: **Minnesota Mining and Manufacturing Company**, St. Paul, Minn.

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Merchant, Gould, Smith, Edell, Welter & Schmidt, P.A.

[**] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a battery, as shown and described.

[21] Appl. No.: **77,359**

DESCRIPTION

[22] Filed: **Apr. 17, 1997**

FIG. 1 is a perspective view of an exemplary battery in accordance with the present invention;

[51] **LOC (6) Cl.** **13-02**

FIG. 2 is a left side view of the exemplary battery of FIG. 1;

[52] **U.S. Cl.** **D13/103**

[58] **Field of Search** D13/103; D14/138;
429/96-100, 163, 176; 455/127, 343

FIG. 3 is a right side view of the exemplary battery of FIG. 1;

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 358,126 5/1995 Sakuma et al. D13/103
- D. 363,055 10/1995 Kobayashi et al. D13/103
- D. 382,536 8/1997 Amero, Jr. D13/103

FIG. 4 is a top view of the exemplary battery of FIG. 1;

FIG. 5 is a bottom view of the exemplary battery of FIG. 1;

FIG. 6 is a front view of the exemplary battery of FIG. 1;

and,

FIG. 7 is a rear view of the exemplary batter of FIG. 1.

1 Claim, 1 Drawing Sheet




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

