



US00D403325S

# United States Patent [19] Horikoshi

[11] **Patent Number: Des. 403,325**

[45] **Date of Patent: \*\*Dec. 29, 1998**

[54] **AUDIO SPEAKER**

[75] Inventor: **Tatsuo Horikoshi**, Sayama, Japan

[73] Assignee: **Nakamichi Corporation**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **81,433**

[22] Filed: **Jan. 2, 1998**

[51] **LOC (6) Cl.** ..... **14-01**

[52] **U.S. Cl.** ..... **D14/214**

[58] **Field of Search** ..... D14/204, 209-216;  
181/144, 145, 147, 148, 153, 157, 198,  
199; 381/24, 88, 90, 91, 153, 159, 186,  
188

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 324,685 3/1992 Strohbeen ..... D14/210 X

D. 355,418 2/1995 Parsey ..... D14/214  
D. 358,819 5/1995 Rozier et al. .... D14/214  
D. 382,877 8/1997 Cheng ..... D14/214  
4,805,729 2/1989 Wascom ..... 181/199 X

*Primary Examiner*—Philip S. Hyder  
*Attorney, Agent, or Firm*—Moonray Kojima



[57] **CLAIM**

The ornamental design for an audio speaker, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an audio speaker, showing my new design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a top view thereof; and,  
FIG. 6 is a bottom view thereof.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6