



US00D403419S

United States Patent [19]
Davis

[11] **Patent Number: Des. 403,419**
[45] **Date of Patent: **Dec. 29, 1998**

[54] **HEATED VOLATILE DISPENSER**

[75] Inventor: **Brian T. Davis**, Burlington, Wis.

[73] Assignee: **S. C. Johnson & Son, Inc.**, Racine, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **83,303**

[22] Filed: **Jan. 30, 1998**

[51] **LOC (6) Cl.** **23-04**

[52] **U.S. Cl.** **D23/366; D23/360**

[58] **Field of Search** **D23/366-369, D23/356-363; 392/390, 392; 239/135, 136, 58; 261/DIG. 17**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- 2,513,919 7/1950 Costello .
- 4,391,781 7/1983 van Lit .
- 5,402,517 3/1995 Gillett et al. .

FOREIGN PATENT DOCUMENTS

- 4001138 1/1989 Brazil .

- 0 498 278 A1 1/1992 European Pat. Off. .
- 0 511 853 A2 4/1992 European Pat. Off. .
- 2 614 178-A1 4/1987 France .
- 27 30 855 A1 8/1977 Germany .
- 3513307 A1 4/1985 Germany .
- PCT/US95/03234 3/1995 WIPO .

Primary Examiner—Lisa Lichtenstein



[57] **CLAIM**

The ornamental design for a heated volatile dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view from above and to one side of a heated volatile dispenser showing the new design; FIG. 2 is a front elevational view of the dispenser of FIG. 1; FIG. 3 is a left side elevational view of the dispenser of FIG. 1, the right side elevational view being a mirror image thereof; FIG. 4 is a top plan view of the dispenser of FIG. 1; FIG. 5 is a back elevational view of the dispenser of FIG. 1; and, FIG. 6 is a bottom plan view of the dispenser of FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6