



US00D404001S

United States Patent [19] Henry

[11] **Patent Number:** **Des. 404,001**
[45] **Date of Patent:** ****Jan. 12, 1999**

[54] **WHEEL CHOCK**

[76] **Inventor:** **Stephen K. Henry**, 3815 Northbrook
Dr. C-21, Boulder, Colo. 80302

[**] **Term:** **14 Years**

[21] **Appl. No.:** **66,670**

[22] **Filed:** **Feb. 13, 1997**

[51] **LOC (6) Cl.** **12-06**

[52] **U.S. Cl.** **D12/217**

[58] **Field of Search** D12/114, 120,
D12/217; 188/4 R, 32; 224/524; 267/139,
140; 280/293

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 229,330	11/1973	Miles		D12/217
D. 387,323	12/1997	Wilcox		D12/217
2,011,469	8/1935	Brueggemann		188/32
2,992,704	7/1961	Showker et al.		188/32
3,317,006	5/1967	Patterson		188/32
4,615,416	10/1986	Wilson		188/32
5,687,516	11/1997	Sheehan et al.		188/32

OTHER PUBLICATIONS

Model 1015 Chock, Mitco Industrial Tire Co. Brochure, Jul. 1973.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—Dorr, Carson, Sloan & Birney, P.C.

[57] **CLAIM**

The ornamental design for a wheel chock, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a wheel chock showing my new design;

FIG. 2 is a top plan view thereof;


FIG. 3 is front elevational view thereof, taken in the direction of arrow 3—3 in FIG. 2;

FIG. 4 is a left side elevational view thereof, taken in the direction of arrow 4—4 in FIG. 3;

FIG. 5 is a right side elevational view thereof, taken in the direction of arrow 5—5 in FIG. 3; and,

FIG. 6 is a bottom plan view thereof, taken in the direction of arrow 6—6 in FIG. 3.

1 Claim, 2 Drawing Sheets








Fig. 4




Fig. 5




Fig. 6

