



US00D404013S

United States Patent [19]

[11] **Patent Number: Des. 404,013**

Mayo et al.

[45] **Date of Patent: **Jan. 12, 1999**

[54] **REPEATER FOR A RADIO FREQUENCY CONTROLLED LIGHTING CONTROL SYSTEM**

D. 344,264 2/1994 D'Aleo et al. D13/164
D. 344,684 3/1994 Metz et al. D13/164 X
D. 356,086 3/1995 Townsend et al. D14/191 X
D. 365,562 12/1995 Abrams D14/159

[75] Inventors: **Noel Mayo**, Philadelphia; **James E. Swain**, Bethlehem; **Joel S. Spira**, Coopersburg, all of Pa.

Primary Examiner—James Gandy
Assistant Examiner—Cathron B. Matta
Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen, LLP

[73] Assignee: **Lutron Electronics Co. Inc.**, Coopersburg, Pa.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a repeater for a radio frequency controlled lighting control system, as shown and described.

[21] Appl. No.: **74,324**

DESCRIPTION

[22] Filed: **Jul. 30, 1997**

Related U.S. Application Data

[62] Division of Ser. No. 50,035, Feb. 7, 1996, Pat. No. Des. 389,805.

FIG. 1 is a top plan view of the design for a first embodiment of a repeater for a radio frequency controlled lighting control system;

[51] **LOC (6) Cl.** **13-03**

FIG. 2 is a rear elevational view for the design of the first embodiment of the repeater;

[52] **U.S. Cl.** **D13/164**

FIG. 3 is a left side elevational view for the design of the first embodiment of the repeater;

[58] **Field of Search** D13/162, 164, D13/168; D10/104, 106, 178; D14/137, 155, 159, 191, 192, 217, 218; D21/111, 141.1; 340/825.31, 825.57, 825.69, 825.72; 348/734

FIG. 4 is a right side elevational view for the design of the first embodiment of the repeater;

FIG. 5 is a bottom plan view for the design of the first embodiment of the repeater;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 276,224 11/1984 Goodin et al. D13/164 X
D. 276,718 12/1984 Goodin et al. D13/164
D. 297,508 9/1988 Yandek et al. D13/164 X
D. 311,485 10/1990 Jacoby et al. D13/164 X
D. 323,488 1/1992 Darnell et al. D13/162
D. 344,068 2/1994 Adams et al. D13/164

FIG. 6 is a front elevational view for the design of the first embodiment of the repeater;

FIG. 7 is a top plan view of the design for a second embodiment of the repeater for a radio frequency controlled lighting control system, it being understood that the sole difference resides in the printed legends on the top surface; and,

FIG. 8 is a perspective view for the design of the first embodiment of the repeater.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 7





FIG. 2







FIG. 3

FIG. 4






FIG. 5

FIG. 6

FIG.8

