



US00D404100S

United States Patent [19]

Lazarus et al.

[11] Patent Number: Des. 404,100

[45] Date of Patent: **Jan. 12, 1999

[54] SKI DAMPER

[75] Inventors: **Kenneth B. Lazarus**, Boston; **Jeffrey W. Moore**, Concord, both of Mass.

[73] Assignee: **Active Control eXperts, Inc.**, Cambridge, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **60,387**

[22] Filed: **Sep. 27, 1996**

[51] LOC (6) Cl. **21-02**

[52] U.S. Cl. **D21/771**

[58] Field of Search D21/228, 229; 280/601, 602, 610

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,405,149	9/1983	Piegay	280/602
4,438,946	3/1984	Piegay	280/602
4,563,020	1/1986	Arieh et al.	280/602
4,674,763	6/1987	Schlagenhauser	280/602
5,143,394	9/1992	Piana	280/602
5,678,840	10/1997	Simonian	280/602

OTHER PUBLICATIONS

Ashley, S., "Smart Skis and Other Adaptive Structures," *Mechanical Engineering*, vol. 117, No. 11, 76-81 (1995).

Lynch, T., "Piezoelectric Damper Hones Ski Performance," *Design News*, (Feb. 5, 1996).

Primary Examiner—Kay H. Chin

Attorney, Agent, or Firm—Testa, Hurwitz & Thibault LLP

[57] **CLAIM**

We claim the ornamental design for a ski damper, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of applicants' ski damper design, showing the damper mounted in a ski with a visible damper light;

FIG. 2 is a side view of the embodiment of FIG. 1; and, FIG. 3 is an end view of the embodiment of FIG. 1 from the trailing end of the ski, the opposite-end view not being visible in use owing to obstruction by the curved tip of the ski;

FIG. 4 is a top plan view of a second embodiment of applicants' ski damper design, showing the damper mounted in a ski with a visible damper light;

FIG. 5 is a side view of the embodiment of FIG. 4; and, FIG. 6 is an end view of the embodiment of FIG. 4 from the trailing end of the ski, the opposite-end view not being visible in use owing to obstruction by the curved tip of the ski;

FIG. 7 shows a top plan view of a third embodiment of applicants' ski damper design, showing the ski partially in phantom, the side and end views of this embodiment being substantially the same as FIGS. 5 and 6; and,

FIG. 8 shows a top plan view of a fourth embodiment of applicants' ski damper design, showing the ski partially in phantom, the side and end views of this embodiment being substantially the same as FIGS. 5 and 6.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 7




FIG. 4




FIG. 5



FIG. 6




FIG. 8