



US00D404152S

**United States Patent** [19]  
**Lynch et al.**

[11] **Patent Number: Des. 404,152**

[45] **Date of Patent: \*\*Jan. 12, 1999**

[54] **RECHARGEABLE FLASHLIGHT**

[75] Inventors: **Peter F. Lynch**, Skaneateles; **Mark A. Ferguson**, Jamesville; **David A. Furth**, Skaneateles, all of N.Y.

[73] Assignee: **Eveready Battery Company, Inc.**, St. Louis, Mo.

[\*\*] Term: **14 Years**

[21] Appl. No.: **54,932**

[22] Filed: **May 24, 1996**

[51] **LOC (6) Cl.** ..... **26-02**

[52] **U.S. Cl.** ..... **D26/37**

[58] **Field of Search** ..... D26/37-50; 362/157,  
362/158, 183-208

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 88,205 11/1932 Williams .
- D. 112,635 12/1938 Ferris .
- D. 210,905 4/1968 Kahn .
- D. 213,516 3/1969 Ashe .
- D. 220,801 5/1971 Rams .
- D. 248,504 7/1978 Rhoades et al. .
- D. 251,632 4/1979 Lievin .
- D. 254,514 3/1980 Nicholl et al. .
- D. 255,839 7/1980 Sassmannshausen .
- D. 262,578 1/1982 Nicholl et al. .
- D. 263,630 3/1982 Wong .
- D. 266,957 11/1982 Lee .
- D. 273,048 3/1984 Chan .
- D. 274,368 6/1984 Skaman .
- D. 275,423 9/1984 Stansbury, Jr. et al. .
- D. 276,375 11/1984 Fenne .
- D. 276,658 12/1984 Yuen .
- D. 280,029 8/1985 Petterson ..... D26/50
- D. 283,254 4/1986 Fenne .
- D. 284,707 7/1986 Tanaka .
- D. 285,356 8/1986 Schosser et al. .
- D. 288,245 2/1987 Corder et al. .
- D. 291,838 9/1987 Tung .
- D. 292,321 10/1987 Liu .
- D. 296,011 5/1988 Adams .
- D. 296,012 5/1988 Petterson .

- D. 296,477 6/1988 Powell et al. .
- D. 299,173 12/1988 Powell et al. .
- D. 301,631 6/1989 Leung .
- D. 301,750 6/1989 Fenne .
- D. 308,257 5/1990 Staubitz et al. .
- D. 312,138 11/1990 Burns .
- D. 313,665 1/1991 Yuen .
- D. 315,608 3/1991 Petterson et al. .
- D. 320,463 10/1991 Petterson et al. .
- D. 323,404 1/1992 Fenne .

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

510300A2 of 1992 Germany .

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Robert W. Welsh; S. Allan Fraser


[57] **CLAIM**

The ornamental design for a rechargeable flashlight, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of one embodiment in a rechargeable flashlight in a first configuration;  
 FIG. 2 is a front view of a rechargeable flashlight shown in FIG. 1;  
 FIG. 3 is a side view of a rechargeable flashlight shown in FIG. 1, the opposite side being a mirror image thereof;  
 FIG. 4 is a top view of a rechargeable flashlight;  
 FIG. 5 is back view of a rechargeable flashlight opposite that shown in FIG. 2;  
 FIG. 6 is a bottom view of a rechargeable flashlight opposite that shown in FIG. 4;  
 FIG. 7 is a perspective view of a rechargeable flashlight in a second configuration;  
 FIG. 8 is a side view of a rechargeable flashlight shown in FIG. 7;  
 FIG. 9 is a top view of a rechargeable flashlight shown in FIG. 7;  
 FIG. 10 is a back view of a rechargeable flashlight opposite that shown in FIG. 7; and,  
 FIG. 11 is a bottom view of a rechargeable flashlight in the configuration shown in FIG. 7.

**1 Claim, 4 Drawing Sheets**



# Des. 404,152

Page 2

---

## U.S. PATENT DOCUMENTS

D. 324,110	2/1992	Yuen .	D. 364,000	11/1995	Friedman .....	D26/37
D. 324,580	3/1992	Young .	D. 364,476	11/1995	Petterson .....	D26/50
D. 326,923	6/1992	Yuen .	D. 366,127	1/1996	Yuen .	
D. 328,145	7/1992	Yuen .	2,074,536	3/1937	Brown .....	D26/50
D. 331,118	11/1992	Yeung .	3,192,378	6/1965	Oldenburger .	
D. 332,321	1/1993	Yuen .	3,222,513	12/1965	Feo .	
D. 336,965	6/1993	Yau .	3,233,091	2/1966	Hunt .	
D. 343,015	1/1994	Yuen .	3,458,794	7/1969	Bohnstedt et al. .	
D. 343,468	1/1994	Yuen .	4,177,500	12/1979	Nicholl et al. .	
D. 343,469	1/1994	Yuen .	4,228,484	10/1980	Johnstone .	
D. 348,942	7/1994	Yuen .	4,412,168	10/1983	Sell .	
D. 350,407	9/1994	Yuen .	4,556,932	12/1985	Lehrer et al. .	
D. 352,564	11/1994	Marischen .	4,857,702	8/1989	Cafaro .	
D. 357,757	4/1995	Bamber et al. .	5,160,879	11/1992	Tortola et al. .	
D. 363,138	10/1995	Poon .	5,220,152	6/1993	Doran .	
			5,401,178	3/1995	Liu .	




Fig. 7




Fig. 1




Fig. 4




Fig. 2




Fig. 3




Fig. 6




Fig. 5




Fig. 9




Fig. 11




Fig. 8




Fig. 10