



US00D404246S

United States Patent [19]

Arita et al.

[11] Patent Number: **Des. 404,246**

[45] Date of Patent: ****Jan. 19, 1999**

[54] **DRY MILL**

[75] Inventors: **Toyomi Arita**, Osaka; **Shigehiro Uemura**, Kyoto; **Kazuo Takada**, Nara, all of Japan

[73] Assignee: **Sanyo Electric Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **74,318**

[22] Filed: **Jul. 8, 1997**

[30] Foreign Application Priority Data

Jan. 8, 1997 [JP] Japan 9-273

[51] **LOC (6) Cl.** **07-02**

[52] **U.S. Cl.** **D7/372**

[58] **Field of Search** D7/372-374, 383-384; 241/DIG. 17, 152.1, 95, 274, 82.1, 83, 277, 285.1

[56] References Cited

U.S. PATENT DOCUMENTS

D. 242,892 1/1977 Brown et al. D7/155

D. 269,489 6/1983 Akita .

D. 352,422 11/1994 Bigelow D7/372

D. 386,648 11/1997 Kibbe D7/372

D. 391,441 3/1998 Tanaka et al. D7/372

D. 394,183 5/1998 Arita et al. D7/384

FOREIGN PATENT DOCUMENTS

886073 9/1993 Japan .

Primary Examiner—Ruth McInroy

Attorney, Agent, or Firm—Loeb & Loeb LLP

[57] CLAIM

The ornamental design for a dry mill, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a dry mill showing our new design, the dry mill includes a battery that is fragmentarily shown in broken lines for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is a front view of FIG. 1, a rear view is omitted since it is symmetrical with the front view;


FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a left side view thereof; and,

FIG. 6 is a right side view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6