



US00D404325S

United States Patent [19]
Bender et al.

[11] **Patent Number: Des. 404,325**

[45] **Date of Patent: **Jan. 19, 1999**

[54] **OCCUPANCY SENSOR**

[75] Inventors: **R. Kurt Bender**, Dripping Springs, Tex.; **Willfred Goldschmidt**, Weston; **Justin F. Aiello**, Norwalk, both of Conn.

[73] Assignee: **Mytech Corporation**, Austin, Tex.

[**] Term: **14 Years**

[21] Appl. No.: **83,861**

[22] Filed: **Feb. 19, 1998**

Related U.S. Application Data

[62] Division of Ser. No. 68,019, Mar. 17, 1997.

[51] **LOC (6) Cl.** **10-05**

[52] **U.S. Cl.** **D10/106**

[58] **Field of Search** D10/104, 106, D10/116, 121; 340/545, 547, 555, 571, 572, 573, 578, 586, 628, 629, 630, 693

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 368,043 3/1996 Pun D10/106
D. 368,436 4/1996 Stringer D10/106

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Arnold, White & Durkee

[57] **CLAIM**


The design for an occupancy sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bottom, front and right sides of the occupancy sensor showing the new and ornamental design; and,

FIG. 2 is a perspective view of the bottom, back and left sides of the occupancy sensor of FIG. 1.

1 Claim, 1 Drawing Sheet






FIG. 1




FIG. 2