



US00D404326S

# United States Patent [19]

Bender et al.

[11] Patent Number: Des. 404,326

[45] Date of Patent: \*\*Jan. 19, 1999

[54] OCCUPANCY SENSOR

[75] Inventors: **R. Kurt Bender**, Dripping Springs, Tex.; **Willfred Goldschmidt**, Weston; **Justin F. Aiello**, Norwalk, both of Conn.

[73] Assignee: **Mytech Corporation**, Austin, Tex.

[\*\*] Term: **14 Years**

[21] Appl. No.: **83,863**

[22] Filed: **Feb. 19, 1998**

D. 356,748	3/1995	Carmi .....	D10/106
D. 368,436	4/1996	Stringer .....	D10/106
D. 387,297	12/1997	Kawabata .....	D10/106
D. 391,184	2/1998	Kawabata .....	D10/106

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Arnold, White & Durkee

### Related U.S. Application Data

[62] Division of Ser. No. 68,019, Mar. 17, 1997.

[51] **LOC (6) Cl.** ..... **10-05**

[52] **U.S. Cl.** ..... **D10/106**

[58] **Field of Search** ..... D10/104, 106,  
D10/116, 121; 340/521, 540, 555, 556,  
557, 565, 571, 572, 573, 600, 628, 629

[56] **References Cited**

#### U.S. PATENT DOCUMENTS

D. 346,567 5/1994 Rimon ..... D10/106

[57] **CLAIM**

The design for an occupancy sensor, as shown and described.

### DESCRIPTION


FIG. 1 is a front perspective view of an occupancy sensor showing our new design, with the bottom being unornamented;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front perspective view of a second embodiment thereof; and,

FIG. 4 is a rear perspective view thereof.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4